

Patons

No. 511




COUNTRY  
ARANS  
FOR CHILDREN

Patons  
Aran Style



Traditional Aran Look  
for  
**ENCORE and GALWAY**  
Knitting Worsted Weight

598



**COUNTRY  
ARANS  
FOR CHILDREN**

Plymouth Yarn



# Contents and Materials

## 1/2. Jacket and Scarf <sup>6 mm 13 mm 4-5 yrs 6-7 yrs</sup> page 3

Sizes	50	55	60	65	cms
	20	22	24	26	ins
<b>PLYMOUTH Encore 100g balls</b>					
<b>Jacket with Neckband</b>	3	3	4	4	balls
<b>Jacket with Hood</b>	3	4	4	5	balls
<b>Scarf</b>			2		balls
<b>PLYMOUTH Galway 100g skeins</b>					
<b>Jacket with Neckband</b>	3	3	4	5	balls
<b>Jacket with Hood</b>	3	4	5	5	balls
<b>Scarf</b>			3		balls

Pair needles each size 5mm (No 6) and 4mm (No 8). Cable needle.  
6(6-6-7) buttons.

## 8-11. Round and V Neck Sweater, Hat and Mitts . . . . . page 11

Sizes	60	65	70	75	80	cms
	24	26	28	30	32	ins
<b>PLYMOUTH Encore 100g balls</b>						
<b>Sweater</b>	3	4	4	5	5	balls
<b>Hat and Mitts</b>		1		1		ball
<b>PLYMOUTH Galway 100g skeins</b>						
<b>Sweater</b>	4	4	5	5	6	balls
<b>Hat and Mitts</b>		1		1		ball

Pair needles each size 5mm (No 6) and 4mm (No 8). Cable needle.

## 3. Sweater . . . . . page 6

Sizes	60	65	70	75	80	cms
	24	26	28	30	32	ins
<b>PLYMOUTH Encore 100g balls</b>						
	3	4	5	5	6	balls
<b>PLYMOUTH Galway 100g skeins</b>						
	4	4	5	6	6	balls

Pair needles each size 5mm (No 6) and 4mm (No 8). Cable needle.

## 12. Polo Neck Sweater . . . . . page 15

Sizes	60	65	70	75	80	cms
	24	26	28	30	32	ins
<b>PLYMOUTH Encore 100g balls</b>						
	3	4	5	5	6	balls
<b>PLYMOUTH Galway 100g skeins</b>						
	4	4	5	6	7	balls

Pair needles each size 5mm (No 6) and 4mm (No 8). Cable needle.

## 4. Crew Neck Sweater . . . . . page 7

Sizes	60	65	70	75	80	cms
	24	26	28	30	32	ins
<b>PLYMOUTH Encore 100g balls</b>						
	3	4	5	5	6	balls
<b>PLYMOUTH Galway 100g skeins</b>						
	4	4	5	6	7	balls

Pair needles each size 5mm (No 6) and 4mm (No 8). Cable needle.

## 13-16. Sweater, Hat, Beret and Scarf . . . . . page 15

Sizes	50	55	60	65	cms
	20	22	24	26	ins
<b>PLYMOUTH Encore 100g balls</b>					
<b>Sweater</b>	3	3	3	4	balls
<b>Beret or Hat</b>		1	1		ball
<b>Scarf</b>		2	2		balls
<b>PLYMOUTH Galway 100g skeins</b>					
<b>Sweater</b>	3	3	4	4	balls
<b>Beret or Hat</b>		1		1	ball
<b>Scarf</b>		2		2	balls

Pair needles each size 5mm (No 6) and 4mm (No 8). Cable needle.  
3 buttons.

## 5-7. Jacket, Hat and Beret . . . . . page 9

Sizes	55	60	65	70	cms
	22	24	26	28	ins
<b>PLYMOUTH Encore 100g balls</b>					
<b>Jacket</b>	3	4	4	5	balls
<b>Hat</b>		1		1	ball
<b>Beret</b>		1		1	ball
<b>PLYMOUTH Galway 100g skeins</b>					
<b>Jacket</b>	4	4	4	5	balls
<b>Hat</b>		1		1	ball
<b>Beret</b>		1		1	ball

Pair needles each size 5mm (No 6) and 4mm (No 8). Cable needle.  
6 buttons.

## 17/18. Cardigan and Waistcoat . . . . . page 18

Sizes	50	55	60	65	cms
	20	22	24	26	ins
<b>PLYMOUTH Encore 100g balls</b>					
<b>Cardigan</b>	2	3	3	4	balls
<b>Waistcoat</b>	2	2	2	3	balls
<b>PLYMOUTH Galway 100g skeins</b>					
<b>Cardigan</b>	3	3	4	4	balls
<b>Waistcoat</b>	2	2	3	3	balls

Pair needles each size 5mm (No 6) and 4mm (No 8). Cable needle.  
4(4-5-5) buttons.

All designs use Encore Colour # 256 or Galway Colour # 1

Plymouth Yarn Co. Inc., P.O. Box 28 - 500 Lafayette Street, BRISTOL, Pa 19007.



## General Notes

### Tension

For best result always read the complete instructions and check the tension before starting work. If the tension piece measures less than the required width try a size larger needle. If the tension piece measures more than the required width try a size smaller needle. Where tensions are given over st st for a patterned garment, check your tension in st st. If you have to use a different needle size to obtain this tension a similar adjustment must be made to the needle sizes used in the patterns. A proper fit and correct size of finished garment is only possible with the correct tension.

### Notes

Figures in round brackets refer to the larger sizes. Figures or instructions in square brackets, [ ], should be repeated as stated after the brackets.

The quantities of yarn stated in this publication are based on average requirements and are therefore approximate.

### Abbreviations

Alt = alternate; beg = beginning; cms = centimetres; dec = decrease; inc = increase; ins = inches; k = knit; p = purl; pss0 = pass slipped stitch over; rep = repeat; sl = slip; st(s) = stitch(es); stst = stocking stitch (1 row knit, 1 row purl); tbl = through back of loop; tog = together; yb = yarn back; yf = yarn forward.

### Special Abbreviations

**Slip marker** = make a slip knot in a short length of contrasting yarn and place on needle where indicated. On the following rows slip the marker from one needle to the other until the pattern is established and the marker is no longer required.

**KB1** = knit into back of next stitch.

**MB (Make Bobble)** = [knit into front and back] twice of next st, turn and p4, turn and k4, turn, p2tog twice, turn and k2tog.

**M1** = pick up horizontal thread before next st and knit into back of it.

**C2F (Cross 2 Front)** = knit into front of 2nd st on needle, then knit first st, slipping both sts off needle at the same time.

**C3B (Cable 3 Back)** = slip next st onto cable needle and hold at back of work, knit next 2 sts from left-hand needle, then knit st from cable needle.

**C3F (Cable 3 Front)** = slip next 2 sts onto cable needle and hold at front of work, knit next st from left-hand needle, then knit sts from cable needle.

**T3B (Twist 3 Back)** = slip next st onto cable needle and hold at back of work, knit next 2 sts from left-hand needle, then purl st from cable needle.

**T3F (Twist 3 Front)** = slip next 2 sts onto cable needle and hold at front of work, purl next st from left-hand needle, then knit sts from cable needle.

**C4B or C4F (Cable 4 Back or Cable 4 Front)** = slip next 2 sts onto cable needle and hold at back (or front) of work, knit next 2 sts from left-hand needle, then knit sts from cable needle.

**T4B (Twist 4 Back)** = slip next 2 sts onto cable needle and hold at back of work, knit next 2 sts from left-hand needle, then purl sts from cable needle.

**T4F (Twist 4 Front)** = slip next 2 sts onto cable needle and hold at front of work, purl next 2 sts from left-hand needle, then knit sts from cable needle.

**T4L (Twist 4 Left)** = slip next 3 sts onto cable needle and hold at front of work, purl next st from left-hand needle, then knit sts from cable needle.

**T4R (Twist 4 Right)** = slip next st onto cable needle and hold at back of work, knit next 3 sts from left-hand needle, then purl st from cable needle.

**C5B (Cable 5 Back)** = slip next 3 sts onto cable needle and hold at back of work, knit next 2 sts from left-hand needle, slip the purl st from point of cable needle back onto left-hand needle, purl this st, then k2 from cable needle.

**C6B or C6F (Cable 6 Back or Cable 6 Front)** = slip next 3 sts onto cable needle and hold at back (or front) of work, knit next 3 sts from left-hand needle, then knit sts from cable needle.

**C14B or C14F (Cable 14 Back or Cable 14 Front)** = slip next 7 sts onto cable needle and hold at back (or front) of work, knit next 7 sts from left-hand needle, then knit sts from cable needle.

### Picked Up Edgings

It is easier to pick up a large number of stitches evenly along an edge (for example along the front edge of a cardigan), if you work as follows: lay the garment flat on a table and make sure that the edge is laying straight. Measure the length and place a pin halfway along this length at right angles to the material. Now halve the length above and below this and then halve these distances again so that the length is divided into eighths. Now divide the required number of stitches by 8 and pick up approximately that number of stitches in each section to total stated number.

### Pressing

Always press each piece on wrong side of work avoiding ribbing.

**Wool:** Using a hot iron and a damp cloth, steam each piece thoroughly without allowing the weight of the iron to rest on the work. While the knitting is still damp pin out, then press lightly again and allow to dry.

**Synthetic yarns:** Press lightly on wrong side using a warm iron and a dry cloth (avoiding ribbings) **except** when label states that yarn should not be pressed.

All clothes in this publication were from 'The Scotch House'.

1/2.

## Jacket and Scarf

illustrated on front cover and page 4

### Measurements

#### Jacket

To fit chest sizes

50	55	60	65	cms
20	22	24	26	ins

Finished measurement

62	68	73	79	cms
25	27	29	31 1/2	ins

Length to shoulder

36	39	42	46	cms
14 1/4	15 1/4	16 1/2	18	ins

Sleeve length

21	25	29	33	cms
8 1/4	10	11 1/2	13	ins

#### Scarf

Length	128	cms
	51	ins

### Tension

21 sts and 26 rows = 10 cms [4 ins] square measured over broken rib using larger needles.

### Cable Panel (Worked across 26 sts)

1st row: C4B, p6, C3B, C3F, p6, C4B.

2nd row: P4, k6, p6, k6, p4.

3rd row: K4, p5, C3B, k2, C3F, p5, k4.

4th row: P4, k5, p8, k5, p4.

5th row: C4B, p4, T3B, C4B, T3F, p4, C4B.

6th row: P4, k4, p2, k1, p4, k1, p2, k4, p4.

7th row: K4, p3, T3B, p1, k4, p1, T3F, p3, k4.

8th row: P4, k3, p2, k2, p4, k2, p2, k3, p4.

9th row: C4B, p2, T3B, p2, C4B, p2, T3F, p2, C4B.

10th row: P4, k2, p2, k3, p4, k3, p2, k2, p4.

11th row: K4, p1, T3B, p3, k4, p3, T3F, p1, k4.

12th row: P4, k1, p2, k4, p4, k4, p2, k1, p4.

13th row: C4B, p1, k2, p4, C4B, p4, k2, p1, C4B.

14th row: P4, k1, p2, k4, p4, k4, p2, k1, p4.

15th row: K4, p1, T3F, p3, k4, p3, T3B, p1, k4.

16th row: P4, k2, p2, k3, p4, k3, p2, k2, p4.

17th row: C4B, p2, T3F, p2, C4B, p2, T3B, p2, C4B.

18th row: P4, k3, p2, k2, p4, k2, p2, k3, p4.

19th row: K4, p3, T3F, p1, k4, p1, T3B, p3, k4.

20th row: P4, k4, p2, k1, p4, k1, p2, k4, p4.

21st row: C4B, p4, T3F, C4B, T3B, p4, C4B.

22nd row: P4, k5, p8, k5, p4.

23rd row: K4, p5, T3F, k2, T3B, p5, k4.

24th row: P4, k6, p6, k6, p4.

25th row: C4B, p6, T3F, T3B, p6, C4B.

26th row: P4, k7, p4, k7, p4.

27th row: K4, p7, C4F, p7, k4.

28th row: P4, k7, p4, k7, p4.

These 28 rows form the Cable Panel.

### Jacket Back

Using smaller needles cast on 47(51-55-59) sts.

1st row (right side): K1, \*p1, k1; rep from \* to end.

2nd row: P1, \*k1, p1; rep from \* to end.

Rep the last 2 rows until rib measures 5(5-6-6) cms [2(2-2 1/2-2 1/2) ins] ending with a 1st row.

**Next row (increase):** Rib 1(2-2-3), \*inc in each of next 2 sts, work 1 st; rep from \* to last 4(4-5-5) sts, inc in each of next 2 sts, rib to end. 77(83-89-95) sts.

Change to larger needles and commence pattern:



**1st row:** [P1, k1] 2(3-4-5) times, p1, \*work 1st row of Cable Panel across next 26 sts\*, [p1, k1] 7(8-9-10) times, p1, rep from \* to \*, p1, [k1, p1] 2(3-4-5) times.

**2nd row:** [K1, p1] 2(3-4-5) times, k1, \*work 2nd row of Cable Panel\*, [k1, p1] 7(8-9-10) times, k1, rep from \* to \*, k1, [p1, k1] 2(3-4-5) times.

**3rd row:** P5(7-9-11), \*work 3rd row of Cable Panel\*, p15(17-19-21), rep from \* to \*, p5(7-9-11).

**4th row:** K5(7-9-11), \*work 4th row of Cable Panel\*, k15(17-19-21), rep from \* to \*, k5(7-9-11).

These 4 rows form the broken rib at either side and between cable panels. Keeping the 28 rows for each cable panel correct throughout, rep the last 4 rows until back measures 36(39-42-46) cms [14<sup>1</sup>/<sub>4</sub>(15<sup>1</sup>/<sub>4</sub>-16<sup>1</sup>/<sub>2</sub>-18) ins] or required length to shoulder ending with a wrong side row.

#### Shape Shoulders

Cast off 27(30-32-35) sts at beg of next 2 rows. Slip remaining 23(23-25-25) sts onto a holder.

### Left Front

Using smaller needles cast on 29(31-33-35) sts and work 2 rows in k1, p1 rib as given for Back.

#### Boys' Front only

**Next row** (buttonhole): Rib to last 6 sts, cast off next 2 sts, rib to end.

**Next row:** Rib to end casting on 2 sts over buttonhole.

**Girl's and Boy's Fronts:** Continue in rib until piece measures 5(5-6-6) cms [2(2-2<sup>1</sup>/<sub>2</sub>-2<sup>1</sup>/<sub>2</sub>) ins] ending with a right side row.

**Next row** (increase): Rib 9, slip these sts onto a safety pin, rib 2(3-3-4), \*inc in each of next 16(16-18-18) sts, rib to end. 36(38-42-44) sts.

Change to larger needles and commence pattern:

**1st row:** [P1, k1] 2(3-4-5) times, p1, work 1st row of Cable Panel across next 26 sts, p1, [k1, p1] 2(2-3-3) times.

**2nd row:** [K1, p1] 2(2-3-3) times, k1, work 2nd row of Cable Panel, k1, [p1, k1] 2(3-4-5) times.

**3rd row:** P5(7-9-11), work 3rd row of Cable Panel, p5(5-7-7).

**4th row:** K5(5-7-7), work 4th row of Cable Panel, k5(7-9-11).

★ Keeping the 28 rows of panel correct throughout, rep the last 4 rows until front is 17(17-19-19) rows shorter than back to start of shoulder shaping (work 1 row more here for Right Front) thus ending at front edge.

#### Shape Neck

**Next row:** Work 3(2-3-2) sts, slip these sts onto a safety pin, work to end.

Keeping pattern correct dec 1 st at neck edge on next 3 rows, then following 3(3-4-4) alt rows. 27(30-32-35) sts remain. Work 7 rows straight. Cast off.

### Right Front

Using smaller needles cast on 29(31-33-35) sts and work 2 rows in k1, p1 rib as given for Back.

#### Girl's Front only

**Next row** (buttonhole): Rib 4, cast off next 2 sts, rib to end.

**Next row:** Rib to end casting on 2 sts over buttonhole.

**Girl's and Boy's Fronts:** Continue in rib until piece measures 5(5-6-6) cms [2(2-2<sup>1</sup>/<sub>2</sub>-2<sup>1</sup>/<sub>2</sub>) ins] ending with a right side row.

**Next row** (increase): Rib 2(3-3-4), inc in each of next 16(16-18-18) sts, rib 2(3-3-4), turn and slip remaining 9 sts onto a safety pin. 36(38-42-44) sts.

Change to larger needles and commence pattern:

**1st row:** [P1, k1] 2(2-3-3) times, p1, work 1st row of Cable Panel across next 26 sts, p1, [k1, p1] 2(3-4-5) times.

**2nd row:** [K1, p1] 2(3-4-5) times, k1, work 2nd row of Cable Panel, k1, [p1, k1] 2(2-3-3) times.

**3rd row:** P5(5-7-7), work 3rd row of Cable Panel, p5(7-9-11).

**4th row:** K5(7-9-11), work 4th row of Cable Panel, k5(5-7-7).

Complete as given for Left Front from ★ to end reversing shaping by working 1 row more where indicated.

### Sleeves

Using smaller needles cast on 29(31-33-35) sts and work 4(4-5-5) cms [1<sup>1</sup>/<sub>2</sub>(1<sup>1</sup>/<sub>2</sub>-2-2) ins] in k1, p1 rib as given for Back ending with a right side row.

**Next row** (increase): Rib 3(3-5-5), inc in every st to last 3(3-5-5) sts, rib to end. 52(56-56-60) sts.

Change to larger needles and commence pattern:

**1st row:** [P1, k1] 6(7-7-8) times, p1, work 1st row of Cable Panel across next 26 sts, p1, [k1, p1] 6(7-7-8) times.

**2nd row:** [K1, p1] 6(7-7-8) times, k1, work 2nd row of Cable Panel, k1, [p1, k1] 6(7-7-8) times.

**3rd row:** P13(15-15-17), work 3rd row of Cable Panel, p13(15-15-17).

**4th row:** K13(15-15-17), work 4th row of Cable Panel, k13(15-15-17).

Keeping the 28 rows of panel correct throughout rep the last 4 rows once more. Bringing extra sts into broken rib inc 1 st at each end of next and every following 8th(12th-8th-10th) row until there are 60(64-68-72) sts. Work straight until sleeve measures 21(25-29-33) cms [8<sup>1</sup>/<sub>4</sub>(10-11<sup>1</sup>/<sub>2</sub>-13) ins] or required length ending with a wrong side row. Cast off.

### Finishing, Bands and Optional Hood

Read pressing instructions on page 3. Join shoulder seams.

**Button Band:** Using smaller needles cast on 1 st and with right side of left front or wrong side of right front facing rib across sts on safety pin. 10 sts. Continue in rib until band, when slightly stretched, fits up front to start of neck shaping ending with a wrong side row for left front band or a right side row for right front band. Break yarn and slip sts onto a safety pin.

Sew band in place stretching evenly and mark positions for 5(5-5-6) buttons, the first to match existing buttonhole in right or left front welt and allowing for a 6th(6th-6th-7th) to be placed 4 rows above sts on safety pin. Space remainder evenly between.

**Buttonhole Band:** Work as given for Button Band, at the same time making buttonholes to match markers on right side rows as before.

Sew band in place.

**Neckband or Hood:** Slip sts of right front band and right front neck onto a smaller needle, then with right side facing rejoin yarn and pick up and k14(14-16-16) sts up right front slope, work across sts at back neck as follows: k3(1-1-2), [k2tog, k1(4-2-4)] 5(3-5-3) times, k2tog, k3(2-2-3), pick up and k14(14-16-16) sts down left front slope, knit across sts on safety pin at left front neck, then rib across sts of left front band. 71(71-77-77) sts.

Work 9 rows in k1, p1 rib as given for Back starting with the 2nd row, at the same time making buttonhole as before on 4th and 5th of these rows.

**Jacket with Neckband only:** Cast off in rib.

**Jacket with Hood only:** Cast off 5 sts in rib at beg of next row.

**Next row** (increase): Cast off 5 sts in rib, rib until there are 4(4-2-3) sts on right-hand needle, \*inc in each of next 1(2-1-2) sts, work 1 st; rep from \* to last 5(6-3-4) sts, inc in each of next 1(1-2-1) sts, rib to end. 88(96-100-108) sts.

Change to larger needles and commence pattern:

**1st row:** K4, [p1, k1] 13(15-16-18) times, p1, work 1st row of Cable Panel across next 26 sts, p1, [k1, p1] 13(15-16-18) times, k4.

**2nd row:** K5, [p1, k1] 13(15-16-18) times, work 2nd row of Cable Panel, [k1, p1] 13(15-16-18) times, k5.

**3rd row:** K4, p27(31-33-37), work 3rd row of Cable Panel, p27(31-33-37), k4.

**4th row:** K31(35-37-41), work 4th row of Cable Panel, k31(35-37-41).

Keeping the 28 rows of panel correct rep the last 4 rows until hood measures 27(29-31-33) cms [10<sup>3</sup>/<sub>4</sub>(11<sup>1</sup>/<sub>2</sub>-12<sup>1</sup>/<sub>4</sub>-13) ins] ending with a wrong side row.

**Next row:** Work 44(48-50-54) sts, turn.

Fold work in half on the 2 needles with right sides together. Using smaller needle cast off the 2 sets of sts together as follows: \*knit tog 1 st from each needle; rep from \* once more (2 sts on right-hand needle), pass first st over 2nd st to cast off. Continue in this way until all sts are cast off.

**Both Jackets:** Fold sleeves in half lengthways and mark centre of cast off edge. Sew sleeve to side edge placing centre at shoulder seam. Note: armholes should measure approximately 13(14-15-16) cms [5(5<sup>1</sup>/<sub>2</sub>-6-6<sup>1</sup>/<sub>2</sub>) ins]. Join side and sleeve seams. Press seams. Sew on buttons.

### Scarf



Using larger needles cast on 48 sts.

**1st row:** [P1, k1] 5 times, p1, work 1st row of Cable Panel across next 26 sts, p1, [k1, p1] 5 times.

**2nd row:** [K1, p1] 5 times, k1, work 2nd row of Cable Panel, k1, [p1, k1] 5 times.







**3rd row:** P11, work 3rd row of Cable Panel, p11.

**4th row:** K11, work 4th row of Cable Panel, k11. Keeping the 28 rows of cable panel correct rep the last 4 rows until scarf measures approximately 128 cms [51 ins] or required length ending with a 26th row of Cable Panel. Cast off in pattern.

## To Finish

Read pressing instructions on page 3.

**Fringe:** \*Cut 5 lengths of yarn each 30 cms [12 ins] long, fold in half and draw loop through first stitch at one end of scarf, draw ends of strand through loop and tighten, thus forming one tassel. Rep from \* along each end at 2 cm [ $\frac{3}{4}$  inch] intervals. Trim ends.

## 3. Sweater

### Measurements

To fit chest sizes

60	65	70	75	80	cms
24	26	28	30	32	ins

Finished measurement

74	78	86	90	94	cms
29 $\frac{1}{2}$	31	34 $\frac{1}{2}$	36	37 $\frac{1}{2}$	ins

Length to shoulder

43	46	50	54	58	cms
17	18	19 $\frac{3}{4}$	21 $\frac{1}{4}$	22 $\frac{3}{4}$	ins

Sleeve length

30	34	38	41	45	cms
11 $\frac{3}{4}$	13 $\frac{1}{2}$	15	16 $\frac{1}{4}$	17 $\frac{3}{4}$	ins

### Tension

20 sts and 26 rows = 10 cms [4 ins] square measured over double moss st using larger needles.

### Back

Using smaller needles cast on 49(55-59-63-67) sts.

**1st row** (right side): K1, \*p1, k1; rep from \* to end.

**2nd row:** P1, \*k1, p1; rep from \* to end.

Rep the last 2 rows 5(5-6-6-6) times more, then the 1st row again.

**Next row** (increase): Rib 3(7-5-7-9), inc in each st to last 4(8-6-8-10) sts, rib to end. 91(95-107-111-115) sts.

Change to larger needles and commence pattern:

**1st row:** [P1, k1] 5(6-6-7-8) times, [p2, C4B] 2(2-3-3-3) times, p10, T4R, p3, C6B, k1, C6F, p3, T4L, p10, [C4F, p2] 2(2-3-3-3) times, [k1, p1] 5(6-6-7-8) times.

**2nd row:** [K1, p1] 5(6-6-7-8) times, [k2, p4] 2(2-3-3-3) times, k10, p3, k4, p13, k4, p3, k10, [p4, k2] 2(2-3-3-3) times, [p1, k1] 5(6-6-7-8) times.

**3rd row:** [K1, p1] 6(7-7-8-9) times, [k4, p2] 1(1-2-2-2) times, k4, p9, T4R, p4, k13, p4, T4L, p9, k4, [p2, k4] 1(1-2-2-2) times, [p1, k1] 6(7-7-8-9) times.

**4th row:** [P1, k1] 6(7-7-8-9) times, [p4, k2] 1(1-2-2-2) times, p4, k9, p3, k5, p6, MB, p6, k5, p3, k9, p4, [k2, p4] 1(1-2-2-2) times, [k1, p1] 6(7-7-8-9) times.

**5th row:** [P1, k1] 5(6-6-7-8) times, [p2, C4B] 2(2-3-3-3) times, p8, T4R, p5, k13, p5, T4L, p8, [C4F, p2] 2(2-3-3-3) times, [k1, p1] 5(6-6-7-8) times.

**6th row:** [K1, p1] 5(6-6-7-8) times, [k2, p4] 2(2-3-3-3) times, k8, p3, k6, p13, k6, p3, k8, [p4, k2] 2(2-3-3-3) times, [p1, k1] 5(6-6-7-8) times.

**7th row:** [K1, p1] 6(7-7-8-9) times, [k4, p2] 1(1-2-2-2) times, k4, p7, T4R, p6, k13, p6, T4L, p7, k4, [p2, k4] 1(1-2-2-2) times, [p1, k1] 6(7-7-8-9) times.

**8th row:** [P1, k1] 6(7-7-8-9) times, [p4, k2] 1(1-2-2-2) times, p4, k7, p3, k7, p13, k7, p3, k7, p4, [k2, p4] 1(1-2-2-2) times, [k1, p1] 6(7-7-8-9) times.

**9th row:** [P1, k1] 5(6-6-7-8) times, [p2, C4B] 2(2-3-3-3) times, p6, T4R, p7, C6F, k1, C6B, p7, T4L, p6, [C4F, p2] 2(2-3-3-3) times, [k1, p1] 5(6-6-7-8) times.

**10th row:** [K1, p1] 5(6-6-7-8) times, [k2, p4] 2(2-3-3-3) times, k6, p3, k8, p13, k8, p3, k6, [p4, k2] 2(2-3-3-3) times, [p1, k1] 5(6-6-7-8) times.

**11th row:** [K1, p1] 6(7-7-8-9) times, [k4, p2] 1(1-2-2-2) times, k4, p5, T4R, p8, k13, p8, T4L, p5, [k4, p2] 1(1-2-2-2) times, k4, [p1, k1] 6(7-7-8-9) times.

**12th row:** [P1, k1] 6(7-7-8-9) times, [p4, k2] 1(1-2-2-2) times, p4, k5, p3, k9, p13, k9, p3, k5, [p4, k2] 1(1-2-2-2) times, p4, [k1, p1] 6(7-7-8-9) times.

**13th row:** [P1, k1] 5(6-6-7-8) times, [p2, C4B] 2(2-3-3-3) times, p4, T4R, p9, k13, p9, T4L, p4, [C4F, p2] 2(2-3-3-3) times, [k1, p1] 5(6-6-7-8) times.

**14th row:** [K1, p1] 5(6-6-7-8) times, [k2, p4] 2(2-3-3-3) times, k4, p3, k10, p13, k10, p3, k4, [p4, k2] 2(2-3-3-3) times, [p1, k1] 5(6-6-7-8) times.

**15th row:** [K1, p1] 6(7-7-8-9) times, [k4, p2] 1(1-2-2-2) times, k4, p3, T4R, p10, k13, p10, T4L, p3, [k4, p2] 1(1-2-2-2) times, k4, [p1, k1] 6(7-7-8-9) times.

**16th row:** [P1, k1] 6(7-7-8-9) times, [p4, k2] 1(1-2-2-2) times, p4, k3, p3, k5, MB, k5, p13, k5, MB, k5, p3, k3, [p4, k2] 1(1-2-2-2) times, p4, [k1, p1] 6(7-7-8-9) times.

**17th row:** [P1, k1] 5(6-6-7-8) times, [p2, C4B] 2(2-3-3-3) times, p3, T4L, p10, C6B, k1, C6F, p10, T4R, p3, [C4F, p2] 2(2-3-3-3) times, [k1, p1] 5(6-6-7-8) times.

**18th row:** [K1, p1] 5(6-6-7-8) times, [k2, p4] 2(2-3-3-3) times, k4, p3, k10, p13, k10, p3, k4, [p4, k2] 2(2-3-3-3) times, [p1, k1] 5(6-6-7-8) times.

**19th row:** [K1, p1] 6(7-7-8-9) times, [k4, p2] 1(1-2-2-2) times, k4, p4, T4L, p9, k13, p9, T4R, p4, k4, [p2, k4] 1(1-2-2-2) times, [p1, k1] 6(7-7-8-9) times.

**20th row:** [P1, k1] 6(7-7-8-9) times, [p4, k2] 1(1-2-2-2) times, p4, k5, p3, k9, p6, MB, p6, k9, p3, k5, p4, [k2, p4] 1(1-2-2-2) times, [k1, p1] 6(7-7-8-9) times.

**21st row:** [P1, k1] 5(6-6-7-8) times, [p2, C4B] 2(2-3-3-3) times, p5, T4L, p8, k13, p8, T4R, p5, [C4F, p2] 2(2-3-3-3) times, [k1, p1] 5(6-6-7-8) times.

**22nd row:** As 10th row.

**23rd row:** [K1, p1] 6(7-7-8-9) times, [k4, p2] 1(1-2-2-2) times, k4, p6, T4L, p7, k13, p7, T4R, p6, [k4, p2] 1(1-2-2-2) times, k4, [p1, k1] 6(7-7-8-9) times.

**24th row:** As 8th row.

**25th row:** [P1, k1] 5(6-6-7-8) times, [p2, C4B] 2(2-3-3-3) times, p7, T4L, p6, C6F, k1, C6B, p6, T4R, p7, [C4F, p2] 2(2-3-3-3) times, [k1, p1] 5(6-6-7-8) times.

**26th row:** As 6th row.

**27th row:** [K1, p1] 6(7-7-8-9) times, [k4, p2] 1(1-2-2-2) times, k4, p8, T4L, p5, k13, p5, T4R,

p8, [k4, p2] 1(1-2-2-2) times, k4, [p1, k1] 6(7-7-8-9) times.

**28th row:** [P1, k1] 6(7-7-8-9) times, [p4, k2] 1(1-2-2-2) times, p4, k9, p3, k5, p13, k5, p3, k9, [p4, k2] 1(1-2-2-2) times, p4, [k1, p1] 6(7-7-8-9) times.

**29th row:** [P1, k1] 5(6-6-7-8) times, [p2, C4B] 2(2-3-3-3) times, p9, T4L, p4, k13, p4, T4R, p9, [C4B, p2] 2(2-3-3-3) times, [k1, p1] 5(6-6-7-8) times.

**30th row:** As 2nd row.

**31st row:** [K1, p1] 6(7-7-8-9) times, [k4, p2] 1(1-2-2-2) times, k4, p10, T4L, p3, k13, p3, T4R, p10, [k4, p2] 1(1-2-2-2) times, k4, [p1, k1] 6(7-7-8-9) times.

**32nd row:** [P1, k1] 6(7-7-8-9) times, [p4, k2] 1(1-2-2-2) times, p4, k5, MB, k5, p3, k3, p13, k3, p3, k5, MB, k5, [p4, k2] 1(1-2-2-2) times, p4, [k1, p1] 6(7-7-8-9) times.

These 32 rows form the pattern ★. Continue in pattern until back measures 43(46-50-54-58) cms [17(18-19 $\frac{3}{4}$ -21 $\frac{1}{4}$ -22 $\frac{3}{4}$ ) ins] or required length to shoulder ending with a wrong side row.

### Shape Shoulders

Cast off 10(10-12-12-12) sts at beg of next 4 rows, then 9(10-10-11-12) sts at beg of following 2 rows. Cast off remaining 33(35-39-41-43) sts.

### Front

Work as given for Back to ★. Continue in pattern until front is 11(13-15-15-17) rows shorter than back to start of shoulder shaping, thus ending with a right side row.

### Shape Neck

**Next row:** Work 34(36-41-42-44) sts, cast off next 23(23-25-27-27) sts, work to end.

Complete this side first.

★★ Dec 1 st at neck edge on next 3(3-5-5-5) rows, then following 2(3-2-2-3) alt rows. 29(30-34-35-36) sts remain. Work 3(3-5-5-5) rows straight (work 1 row more here for 2nd side), thus ending at side edge.

### Shape Shoulder

Cast off 10(10-12-12-12) sts at beg of next and following alt row. Work 1 row. Cast off remaining 9(10-10-11-12) sts.

With right side facing rejoin yarn to neck edge of remaining 34(36-41-42-44) sts and complete as given for first side from ★★ to end reversing shaping where indicated.

### Sleeves

Using smaller needles cast on 33(35-35-37-37) sts and work 13(13-15-15-15) rows in k1, p1 rib as given for Back.

**Next row** (increase): Rib 5(7-5-7-5), inc in each st to last 6(8-6-8-6) sts, rib to end. 55(55-59-59-63) sts.

Change to larger needles and commence pattern:

**1st row:** [P1, k1] 6(6-7-7-8) times, p2, C4B, p3, C6B, k1, C6F, p3, C4F, p2, [k1, p1] 6(6-7-7-8) times.

**2nd row:** [K1, p1] 6(6-7-7-8) times, k2, p4, k3, p13, k3, p4, k2, [p1, k1] 6(6-7-7-8) times.

**3rd row:** [K1, p1] 7(7-8-8-9) times, k4, p3, k13, p3, k4, [p1, k1] 7(7-8-8-9) times.

**4th row:** [P1, k1] 7(7-8-8-9) times, p4, k3, p6, MB, p6, k3, p4, [k1, p1] 7(7-8-8-9) times.

**5th row:** [P1, k1] 6(6-7-7-8) times, p2, C4B, p3, k13, p3, C4F, p2, [k1, p1] 6(6-7-7-8) times.

**6th row:** As 2nd row.

**7th row:** As 3rd row.

**8th row:** [P1, k1] 7(7-8-8-9) times, p4, k3, p13, k3, p4, [k1, p1] 7(7-8-8-9) times.



**9th row:** [P1, k1] 6(6-7-7-8) times, p2, C4B, p3, C6F, k1, C6B, p3, C4F, p2, [k1, p1] 6(6-7-7-8) times.

**10th row:** As 2nd row.

**11th row:** As 3rd row.

**12th row:** As 8th row.

**13th row:** As 5th row.

**14th row:** As 2nd row.

**15th row:** As 3rd row.

**16th row:** As 8th row.

These 16 rows form the pattern. Keeping pattern correct and bringing extra sts into double moss st, inc 1 st at each end of next and every following 5th(5th-6th-5th-6th) row until there are 71(75-79-83-87) sts. Work straight until sleeve measures 30(34-38-41-45) cms [11<sup>3</sup>/<sub>4</sub>(13<sup>1</sup>/<sub>2</sub>-15-16<sup>1</sup>/<sub>4</sub>-17<sup>3</sup>/<sub>4</sub>) ins] or required length ending with a wrong side row. Cast off.

## Collar

Using larger needles cast on 97(103-111-117-123) sts and work 5 cms [2 ins] in k1, p1 rib as given for Back. Change to smaller needles and continue in rib until collar measures 7(7-7-8-8) cms [2<sup>3</sup>/<sub>4</sub>(2<sup>3</sup>/<sub>4</sub>-2<sup>3</sup>/<sub>4</sub>-3-3) ins]. Keeping rib correct cast off 10(11-12-13-13) sts at beg of next 6 rows. Cast off remaining 37(37-39-39-45) sts in rib.

## To Finish

Read pressing instructions on page 3. Join shoulder seams. Fold sleeves in half lengthways and mark centre of cast off edge. Sew sleeve to side edge placing centre at shoulder seam. Note: armhole should measure approximately 15(16-17-18-19) cms [6(6<sup>1</sup>/<sub>2</sub>-6<sup>3</sup>/<sub>4</sub>-7<sup>1</sup>/<sub>4</sub>-7<sup>1</sup>/<sub>2</sub>) ins]. Join side and sleeve seams. Sew cast off edge of collar to neck edge starting and finishing at centre front. Press seams.

## 4.

## Crew Neck Sweater

### Measurements

To fit chest sizes

60	65	70	75	80	cms
24	26	28	30	32	ins

Finished measurement

72	80	84	88	96	cms
29	32	33 <sup>1</sup> / <sub>2</sub>	35	38 <sup>1</sup> / <sub>2</sub>	ins

Length to shoulder

43	46	50	54	58	cms
17	18	19 <sup>3</sup> / <sub>4</sub>	21 <sup>1</sup> / <sub>4</sub>	23	ins

Sleeve seam

30	34	38	41	45	cms
11 <sup>3</sup> / <sub>4</sub>	13 <sup>1</sup> / <sub>2</sub>	15	16	17 <sup>3</sup> / <sub>4</sub>	ins

### Tension

20 sts and 26 rows = 10 cms [4 ins] square measured over rice st using larger needles.

**Pattern Panel** (Worked across 49 sts between markers)

**1st row** (right side): P1, \*C2F, p2, C6B, p2,

C2F\*, p7, C5B, p7; rep from \* to \*, p1.

**2nd row:** K1, \*p2, k2, p6, k2, p2\*, k7, p2, k1, p2, k7; rep from \* to \*, k1.

**3rd row:** P1, \*C2F, p2, k6, p2, C2F\*, p6, T3B, k1, T3F, p6; rep from \* to \*, p1.

**4th row:** K1, \*p2, k2, p6, k2, p2\*, k6, p2, k1, p1, k1, p2, k6; rep from \* to \*, k1.

**5th row:** P1, \*C2F, p2, k6, p2, C2F\*, p5, T3B, k1, p1, k1, T3F, p5; rep from \* to \*, p1.

**6th row:** K1, \*p2, k2, p6, k2, p2\*, k5, p2, [k1, p1] twice, k1, p2, k5; rep from \* to \*, k1.

**7th row:** P1, \*C2F, p2, C6B, p2, C2F\*, p4, T3B, [k1, p1] twice, k1, T3F, p4; rep from \* to \*, p1.

**8th row:** K1, \*p2, k2, p6, k2, p2\*, k4, p2, [k1, p1] 3 times, k1, p2, k4; rep from \* to \*, k1.

**9th row:** P1, \*C2F, p2, k6, p2, C2F\*, p3, T3B, [k1, p1] 3 times, k1, T3F, p3; rep from \* to \*, p1.

**10th row:** K1, \*p2, k2, p6, k2, p2\*, k3, p2, [k1, p1] 4 times, k1, p2, k3; rep from \* to \*, k1.

**11th row:** P1, \*C2F, p2, k6, p2, C2F\*, p2, T3B, [k1, p1] 4 times, k1, T3F, p2; rep from \* to \*, p1.

**12th row:** K1, \*p2, k2, p6, k2, p2\*, k2, p2, [k1, p1] 5 times, k1, p2, k2; rep from \* to \*, k1.

**13th row:** P1, \*C2F, p2, C6B, p2, C2F, p1\*, T3B, [k1, p1] 5 times, k1, T3F, p1, rep from \* to \*.

**14th row:** K1, \*p2, k2, p6, k2, p2, k1\*, p2, [k1, p1] 6 times, k1, p2, k1, rep from \* to \*.

**15th row:** P1, \*C2F, p1, T4R, T4L, p1, C2F, p1\*, T3F, [p1, k1] 5 times, p1, T3B, p1, rep from \* to \*.

**16th row:** K1, \*p2, k1, p3, k2, p3, k1, p2\*, k2, p2, [k1, p1] 5 times, k1, p2, k2, rep from \* to \*, k1.

**17th row:** P1, \*C2F, p1, k3, p2, k3, p1, C2F\*, p2, T3F, [p1, k1] 4 times, p1, T3B, p2, rep from \* to \*, p1.

**18th row:** K1, \*p2, k1, p3, k2, p3, k1, p2\*, k3, p2, [k1, p1] 4 times, k1, p2, k3, rep from \* to \*, k1.

**19th row:** P1, \*C2F, p1, k3, p2, k3, p1, C2F\*, p3, T3F, [p1, k1] 3 times, p1, T3B, p3, rep from \* to \*, p1.

**20th row:** K1, \*p2, k1, p3, k2, p3, k1, p2\*, k4, p2, [k1, p1] 3 times, k1, p2, k4, rep from \* to \*, k1.

**21st row:** P1, \*C2F, p1, k3, p2, k3, p1, C2F\*, p4, T3F, [p1, k1] twice, p1, T3B, p4; rep from \* to \*, p1.

**22nd row:** K1, \*p2, k1, p3, k2, p3, k1, p2\*, k5, p2, [k1, p1] twice, k1, p2, k5; rep from \* to \*, k1.

**23rd row:** P1, \*C2F, p1, k3, p2, k3, p1, C2F\*, p5, T3F, p1, k1, p1, T3B, p5; rep from \* to \*, p1.

**24th row:** K1, \*p2, k1, p3, k2, p3, k1, p2\*, k6, p2, k1, p1, k1, p2, k6; rep from \* to \*, k1.

**25th row:** P1, \*C2F, p1, T4L, T4R, p1, C2F\*, p6, T3F, p1, T3B, p6; rep from \* to \*, p1.

**26th row:** K1, \*p2, k2, p6, k2, p2\*, k7, p2, k1, p2, k7, rep from \* to \*, k1.

These 26 rows form the Pattern Panel.

### Back

Using smaller needles cast on 49(55-59-63-67) sts.

**1st row** (right side): K1, \*p1, k1; rep from \* to end.

**2nd row:** P1, \*k1, p1; rep from \* to end.

Rep the last 2 rows 5(5-6-6-6) times more then 1st row again.

**Next row** (increase): Rib 3(4-6-8-7), \*inc in each of next 2 sts, work 1 st; rep from \* to last 4(6-8-10-9) sts, inc in each of next 2 sts, rib to end. 79(87-91-95-103) sts.

Change to larger needles and commence pattern:

**1st row:** P1, [KB1, p1] 7(9-10-11-13) times, slip marker, work 1st row of Pattern Panel across next 49 sts, slip marker, [p1, KB1] 7(9-10-11-13) times, p1.

**2nd row:** K15(19-21-23-27), work 2nd row of Pattern panel, k15(19-21-23-27).

These 2 rows form the rice stitch either side of pattern panel ★. Keeping the 26 rows of pattern panel correct on sts between markers rep these 2 rows until back measures 43(46-50-54-58) cms [17(18-19<sup>3</sup>/<sub>4</sub>-21<sup>1</sup>/<sub>4</sub>-23) ins] or required length to shoulders ending with a wrong side row.

### Shape Shoulders

Keeping pattern correct cast off 8(9-10-10-11) sts at beg of next 4 rows, then 9(10-9-10-11) sts at beg of following 2 rows. Slip remaining 29(31-33-35-37) sts onto a holder.

### Front

Work as given for Back to ★. Continue in pattern until front is 11(13-15-15-17) rows shorter than back to start of shoulder shaping thus ending with a right side row.

### Shape Neck

**1st row:** Work 30(33-35-36-40) sts, turn and complete this side first.

★★ Keeping pattern correct dec 1 st at neck edge on next 3(3-3-3-5) rows then on following 2(2-3-3-2) alt rows. 25(28-29-30-33) sts remain. Work 4(6-6-6-8) rows straight (work 1 row less here for 2nd side) thus ending at side edge.

### Shape Shoulder

Cast off 8(9-10-10-11) sts at beg of next and following alt row. Work 1 row. Cast off remaining 9(10-9-10-11) sts.

Slip next 19(21-21-23-23) sts at centre onto a holder. With wrong side facing rejoin yarn to neck edge of remaining 30(33-35-36-40) sts and work in pattern to end. Complete as given for first side from ★★ to end reversing shaping where indicated.

### Sleeves

Using smaller needles cast on 33(35-35-37-37) sts and work 13(13-15-15-15) rows in k1, p1 rib as given for Back.

**Next row** (increase): Rib 5(7-5-7-5), inc in each st to last 6(8-6-8-6) sts, rib to end. 55(55-59-59-63) sts.

Change to larger needles and commence pattern:

**1st row:** P1, [KB1, p1] 1(1-2-2-3) times, slip marker, work 1st row of Pattern Panel across next 49 sts, slip marker, [p1, KB1] 1(1-2-2-3) times, p1.

**2nd row:** K3(3-5-5-7), work 2nd row of Pattern Panel, k3(3-5-5-7).

Keeping the 26 rows of pattern panel correct throughout on sts between markers rep these 2 rows 5 times more. Bringing extra sts into rice st, inc 1 st at each end of next and every following 8th(7th-8th-7th-8th) row until there are 67(71-75-79-83) sts. Work straight until sleeve measures 30(34-38-41-45) cms [11<sup>3</sup>/<sub>4</sub>(13<sup>1</sup>/<sub>2</sub>-15-16-17<sup>3</sup>/<sub>4</sub>) ins] or required length ending with a wrong side row. Cast off.

### Finishing and Neckband

Read pressing instructions on page 3. Join left shoulder seam.

**Neckband:** Using smaller needles and with right side facing, work across sts at back neck as follows: k2(3-4-2-3), [k2tog, k2(2-2-3-3)] 6 times, k2tog, k1(2-3-1-2), pick up and k13(15-17-17-19) sts down left front slope, knit across sts at centre front decreasing 4 sts evenly, then pick up and k13(15-17-17-19) sts up right front slope. 63(71-77-81-87) sts.

Work 10(10-10-12-12) cms [4(4-4-4<sup>3</sup>/<sub>4</sub>-4<sup>3</sup>/<sub>4</sub>) ins]







in k1, p1 rib as given for Back starting with the 2nd row. Slip sts onto a length of yarn.

Join right shoulder seam and ends of neckband. Fold neckband in half to inside and slip stitch loosely in place allowing for stretch and taking care to catch every stitch. Fold sleeves in half lengthways and mark centre of cast off edge. Sew sleeve to side edge placing centre at shoulder seam. Note: armholes should measure approximately 15(16-17-18-19) cms [6(6½-6¾-7¼-7½) ins]. Join side and sleeve seams. Press seams.

## 5-7.

# Jacket, Hat and Beret

## Measurements

### Jacket

To fit chest sizes

55	60	65	70	cms
22	24	26	28	ins

Finished measurement

68	75	80	85	cms
27	30	32	34	ins

Length to shoulder

40	43	46	49	cms
15¾	17	18	19¼	ins

Sleeve length

25	28	33	36	cms
10	11	13	14¼	ins

### Hat and Beret

Width round head

46	50	cms
18½	20	ins

## Tension

24 sts and 24 rows = 10 cms [4 ins] square measured over cable pattern using larger needles.

**Cable Pattern** (Worked across sts between markers)

**1st row:** P4, \*k6, p4; rep from \* to marker.

**2nd row:** C4B, \*p6, C4B; rep from \* to marker.

**3rd row:** As 1st row.

**4th row:** K4, \*p6, k4; rep from \* to marker.

Rep the last 4 rows once more then first 3 rows again.

**12th row:** K2, \*T4F, p2, T4B; rep from \* to 2 sts before marker, k2.

**13th row:** [P2, k2] twice, \*p2, k4, p2, k2; rep from \* to 6 sts before marker, p2, k2, p2.

**14th row:** K2, p2, \*T3F, T3B, p4; rep from \* to 10 sts before marker, T3F, T3B, p2, k2.

**15th row:** P2, k3, \*p4, k6; rep from \* to 9 sts before marker, p4, k3, p2.

**16th row:** K2, p3, \*C4F, p6; rep from \* to 9 sts before marker, C4F, p3, k2.

**17th row:** As 15th row.

**18th row:** K2, p2, \*T3B, T3F, p4; rep from \* to 10 sts before marker, T3B, T3F, p2, k2.

**19th row:** As 13th row.

**20th row:** K2, \*T4B, p2, T4F; rep from \* to 2 sts before marker, k2.

These 20 rows form the Cable Pattern.

## Jacket Back

Using smaller needles cast on 50(54-58-62) sts.

**1st row:** K2, \*p2, k2; rep from \* to end.

**2nd row:** P2, \*k2, p2; rep from \* to end.

Rep the last 2 rows until rib measures 5(5-6-6) cms [2(2-2½-2½) ins] ending with a 2nd row.

**Next row** (increase): Rib 2(1-1-2), \*inc in each of next 2 sts, work 1 st; rep from \* to last 3(5-3-3) sts, inc in each of next 2(4-2-2) sts, rib to end. 82(90-96-102) sts.

Change to larger needles and commence pattern:

**1st row** (wrong side): K4(3-1-4), slip marker, work 1st row of Cable Pattern across next 74(84-94-94) sts, slip marker, k4(3-1-4).

**2nd row:** P4(3-1-4), work 2nd row of Cable Pattern, p4(3-1-4).

These 2 rows form the reversed st st at each side of cable pattern. Keeping the 20 rows of cable pattern correct on sts between markers rep these 2 rows until back measures 40(43-46-49) cms [15¾(17-18-19¼) ins] ending with a wrong side row.

### Shape Shoulders

Cast off 29(32-34-36) sts at beg of next 2 rows.

Cast off remaining 24(26-28-30) sts.

## Left Front

Using smaller needles cast on 22(26-26-30) sts and work 5(5-6-6) cms [2(2-2½-2½) ins] in k2, p2 rib as given for Back, ending with a 2nd row.

**Next row** (increase): Rib 3(7-3-6), inc in every st to last 2(6-3-5) sts, rib to end. 39(39-46-49) sts.

Change to larger needles and commence pattern ★:

**1st row** (wrong side): K1(2-1-1), slip marker, work 1st row of Cable Pattern across next 34(34-44-44) sts, slip marker, k4(3-1-4).

**2nd row:** P4(3-1-4), work 2nd row of Cable Pattern, p1(2-1-1).

★★ Keeping the 20 rows of cable pattern correct rep these 2 rows until front is 13(13-15-17) rows shorter than back to shoulder (work 1 row more here for Right Front), thus ending at front edge.

### Shape Neck

**Next row:** Cast off 5(2-5-5) sts, work to end.

Keeping pattern correct dec 1 st at neck edge on next 3(3-5-5) rows, then following 2(2-2-3) alt rows. 29(32-34-36) sts remain. Work 5 rows straight. Cast off.

## Right Front

Work as given for Left Front to ★.

**1st row** (wrong side): K4(3-1-4), slip marker, work 1st row of Cable Pattern across next 34(34-44-44) sts, slip marker, k1(2-1-1).

**2nd row:** P1(2-1-1), work 2nd row of Cable Pattern, p4(3-1-4).

Complete as given for Left Front from ★★ to end reversing shaping by working 1 row more where indicated.

## Sleeves

Using smaller needles cast on 30(34-34-38) sts and work 6 cms [2½ ins] in k2, p2 rib as given for Back, ending with a 2nd row.

**Next row** (increase): Rib 2(4-1-3), inc in every st to last 2(4-1-3) sts, rib to end. 56(60-66-70) sts.

Change to larger needles and commence pattern:

**1st row** (wrong side): K1(3-1-3), slip marker, work 1st row of Cable Pattern across next 54(54-64-64) sts, slip marker, k1(3-1-3).

**2nd row:** P1(3-1-3), work 2nd row of Cable Pattern, p1(3-1-3).

Keeping the 20 rows of cable pattern correct rep these 2 rows 3 times more. Bringing extra sts into reversed st st inc 1 st at each end of next and every following 4th(5th-6th-7th) row until there are 72(76-82-86) sts. Work straight until sleeve measures 25(28-33-36) cms [10(11-13-14¼) ins] or required length ending with a wrong side row. Cast off.

## Collar

Using smaller needles cast on 74(74-82-90) sts and work 6 cms [2½ ins] in k2, p2 rib as given for Back ending with a 2nd row. Cast off 12(12-13-15) sts in rib at beg of next 4 rows. Cast off remaining 26(26-30-30) sts in rib.

## Finishing and Bands

Read pressing instructions on page 3. Join shoulder seams.

**Button Band:** Using smaller needles and with right side facing, pick up and k74(82-86-90) sts evenly along left front edge for Girl's Jacket or right front edge for Boy's Jacket. Work 8 rows in k2, p2 rib as given for Back starting with the 2nd row. Cast off in rib.

**Buttonhole Band:** Using smaller needles and with right side facing, pick up and k74(82-86-90) sts evenly along right front edge for Girl's Jacket or left front edge for Boy's Jacket. Work 3 rows in k2, p2 rib as given for Back starting with the 2nd row.

**Next row** (buttonholes): Rib 4(5-5-4), \*cast off next 2 sts, rib until there are 11(12-13-14) sts on right-hand needle after casting off; rep from \* 4 times more, cast off next 2 sts, rib to end.

Work 4 more rows in rib casting on 2 sts over each buttonhole on first of these rows. Cast off in rib.

Fold sleeves in half lengthways and mark centre of cast off edge. Sew sleeve to side edge placing centre at shoulder seam. Note: armholes should measure approximately 16(17-18-19) cms [6½(6¾-7¼-7½) ins]. Join side and sleeve seams. Sew cast off edge of collar to neck edge starting and finishing halfway across front bands. Press seams. Sew on buttons.

## Hat

Using smaller needles cast on 82(90) sts and work 12 cms [4¾ ins] in k2, p2 rib as given for Back ending with a 2nd row.

**Next row** (increase): K1, \*inc in next st, rib 2; rep from \* to last 3(2) sts, inc in each of next 2(1) sts, k1. 110(120) sts.

Change to larger needles.

**Next row:** P3, slip marker, k4, \*p6, k4; rep from \* to last 3 sts, slip marker, p3.

### Commence Pattern

**1st row** (wrong side): K3, work 5th(1st) row of Cable Pattern across next 104(114) sts, k3.

**2nd row:** P3, work 6th(2nd) row of Cable Pattern, p3.

Keeping the cable pattern correct on sts between markers (continuing with 7th(3rd) row of pattern), work 15(19) more rows thus ending with the 1st row of pattern.

### Shape Crown

**1st row:** P1, p2tog, \*C4B, p2tog, p2, p2tog; rep from \* to last 7 sts, C4B, p2tog, p1. 88(96) sts remain.

**2nd row:** K2, \*p4, k4; rep from \* to last 6 sts, p4, k2.



5-7





3rd row: P2, \*k4, p4; rep from \* to last 6 sts, k4, p2.

4th row: As 2nd row.

5th row: P2tog, \*C4B, [p2tog] twice; rep from \* to last 6 sts, C4B, p2tog. 66(72) sts remain.

6th row: K1, \*p4, k2; rep from \* to last 5 sts, p4, k1.

7th row: P1, \*k4, p2; rep from \* to last 5 sts, k4, p1.

8th row: As 6th row.

9th row: P1, \*k2tog twice, p2; rep from \* to last 5 sts, [k2tog] twice, p1. 44(48) sts remain.

10th row: K1, \*p2, k2; rep from \* to last 3 sts, p2, k1.

11th row: P1, \*k2, p2; rep from \* to last 3 sts, k2, p1.

12th row: As 10th row.

13th row: P1, \*k2tog, p2; rep from \* to last 3 sts, k2tog, p1. 33(36) sts remain.

14th row: K1, \*p1, k2; rep from \* to last 2 sts, p1, k1.

15th row: P1(2), \*p2tog; rep from \* to end.

Break yarn, thread through remaining 17(19) sts, draw up firmly and fasten off.

## To Finish

Read pressing instructions on page 3. Join back seam reversing seam on ribbing. Turn back brim. Make a pom-pom and attach firmly to top of crown.

## Beret

Using smaller needles cast on 86(90) sts and work 9 rows in k2, p2 rib as given for Back, ending with a 1st row.

**Next row** (increase): Rib 11(10), inc in every st to last 11(10) sts, rib to end. 150(160) sts.

Change to larger needles.

**Next row**: P3, slip marker, k4, \*p6, k4; rep from \* to last 3 sts, slip marker, p3.

### Commence Pattern

**1st row** (wrong side): K3, work 5th row of Cable Pattern across next 144(154) sts, k3.

**2nd row**: P3, work 6th row of Cable Pattern, p3.

Keeping the cable pattern correct on sts between markers (and continuing with the 7th row of pattern), work 15 more rows thus ending with a 1st row of pattern.

### Shape Crown

**1st row**: P1, p2tog, \*C4B, p2tog, p2, p2tog; rep from \* to last 7 sts, C4B, p2tog, p1. 120(128) sts remain.

**2nd row**: K2, \*p4, k4; rep from \* to last 6 sts, p4, k2.

**3rd row**: P2, \*k4, p4; rep from \* to last 6 sts, k4, p2.

4th row: As 2nd row.

**5th row**: P2tog, \*C4B, [p2tog] twice; rep from \* to last 6 sts, C4B, p2tog. 90(96) sts remain.

**6th row**: K1, \*p4, k2; rep from \* to last 5 sts, p4, k1.

**7th row**: P1, \*k4, p2; rep from \* to last 5 sts, k4, p1.

8th row: As 6th row.

**9th row**: P1, \*C4B, p2tog; rep from \* to last 5 sts, C4B, p1. 76(81) sts remain.

**10th row**: K1, \*p4, k1; rep from \* to end.

**11th row**: K4, \*k2tog, k3; rep from \* to last 2 sts, k2. 62(66) sts remain.

Work 3 rows in st st, starting purl.

**15th row**: K3, \*k2tog, k2; rep from \* to last 3 sts, k3. 48(51) sts remain.

16th row: Purl.

**17th row**: K2, \*k2tog, k1; rep from \* to last 4

sts, k4. 34(36) sts remain.

**18th row**: Purl.

**19th row**: \*K2tog; rep from \* to end.

Break yarn, thread through remaining 17(18) sts, draw up firmly and fasten off.

## To Finish

Read pressing instructions on page 3. Join back seam. Make a pom-pom and attach firmly to top of crown.

## 8-11.

# Round and V Neck Sweater, Hat and Mitts

## Measurements

### Sweater

To fit chest sizes

60	65	70	75	80	cms
24	26	28	30	32	ins

Finished measurement

74	78	83	89	96	cms
29½	31	33	35½	38½	ins

Length to shoulder

43	46	50	54	58	cms
17	18	19¾	21¼	22¾	ins

Sleeve length

30	34	38	42	45	cms
11¾	13½	15	16½	17¾	ins

### Hat

Width round head

49	52	cms
19½	21	ins

## Tension

24 sts and 24 rows = 10 cms [4 ins] square measured over cable pattern using larger needles.

## Cable Pattern (Worked across sts between markers)

**1st row**: K6, \*p6, k6; rep from \* to marker.

**2nd and every alt row**: P6, \*k6, p6; rep from \* to marker.

**3rd row**: C4B, k2, \*p6, k6, p6, C4B, k2; rep from \* to marker.

**5th row**: As 1st row.

**7th row**: K2, C4F, \*p6, k6, p6, k2, C4F; rep from \* to marker.

**9th row**: As 1st row.

**11th row**: As 3rd row.

**13th row**: As 1st row.

**15th row**: K6, \*p6, C4B, k2, p6, k6; rep from \* to marker.

**17th row**: As 1st row.

**19th row**: K6, \*p6, k2, C4F, p6, k6; rep from \* to marker.

**21st row**: As 1st row.

**23rd row**: As 15th row.

**24th row**: As 2nd row.

These 24 rows form the Cable Pattern.

## Sweater

### Back (both styles)

Using smaller needles cast on 54(58-62-70-74) sts.

**1st row**: K2, \*p2, k2; rep from \* to end.

**2nd row**: P2, \*k2, p2; rep from \* to end.

Rep the last 2 rows until rib measures 6(6-6-7-7) cms [2½(2½-2½-2¾-2¾) ins] ending with a 2nd row.

**Next row** (increase): Rib 4(6-1-1-1), \*inc in each of next 2(2-1-1-1) sts, work 1 st; rep from \* to last 5(7-5-5-5) sts, inc in each of next 2(2-4-4-4) sts, rib to end. 86(90-94-106-112) sts.

Change to larger needles.

**Next row**: K4(6-8-2-5), slip marker, p6, \*k6, p6; rep from \* to last 4(6-8-2-5) sts, slip marker, knit to end.

### Commence Pattern

**1st row** (right side): P4(6-8-2-5), work 1st row of Cable Pattern across next 78(78-78-102-102) sts, p4(6-8-2-5).

**2nd row**: K4(6-8-2-5), work 2nd row of Cable Pattern, k4(6-8-2-5).

These 2 rows form the reversed st st at each side of cable pattern. Keeping the 24 rows of cable pattern correct on sts between markers rep these 2 rows until back measures 43(46-50-54-58) cms [17(18-19¾-21¼-22¾) ins] or required length to shoulder, ending with a wrong side row.

### Shape Shoulders

Cast off 29(30-31-36-38) sts at beg of next 2 rows. Slip remaining 28(30-32-34-36) sts onto a holder.

## Sleeves (both styles)

Using smaller needles cast on 34(34-34-38-38) sts and work 5(5-5-6-6) cms [2(2-2½-2½) ins] in k2, p2 rib as given for Back, ending with a 2nd row.

**Next row** (increase): Rib 6(5-4-6-5), inc in every st to last 6(5-4-6-5) sts, rib to end. 56(58-60-64-66) sts.

Change to larger needles.

**Next row**: K1(2-3-5-6), slip marker, p6, \*k6, p6; rep from \* to last 1(2-3-5-6) sts, slip marker, knit to end.

### Commence Pattern

**1st row** (right side): P1(2-3-5-6), work 1st row of Cable Pattern across next 54 sts, p1(2-3-5-6).

**2nd row**: K1(2-3-5-6), work 2nd row of Cable Pattern, k1(2-3-5-6).

Keeping the 24 rows of cable pattern correct rep these 2 rows once more. Bringing extra sts into pattern inc 1 st at each end of next and every following 6th(7th-6th-7th-6th) row until there are 72(76-82-86-92) sts. Work straight until sleeve measures 30(34-38-42-45) cms [11¾(13½-15-16½-17¾) ins] or required length ending with a wrong side row. Cast off.

## Round Neck Front

Work as given for Back until front is 15(17-17-19-19) rows shorter than back to shoulder thus ending with a right side row.

### Shape Neck

**Next row**: Work 36(38-39-45-47) sts, turn and complete this side first.

★ Dec 1 st at neck edge on next 5 rows, then following 2(3-3-4-4) alt rows. 29(30-31-36-38) sts remain. Work 6 rows straight (work 1 row less here for 2nd side), thus ending at side edge. Cast off.

Slip next 14(14-16-16-18) sts at centre onto a holder. With wrong side facing rejoin yarn to neck edge of remaining 36(38-39-45-47) sts and work to end.



Complete as given for first side from ★ to end working 1 row less where indicated.

## V-Neck Front

Work as given for Back until front measures 17(18-19-20-22) cms [ $6\frac{3}{4}$ (7-7 $\frac{1}{2}$ -8-8 $\frac{3}{4}$ ) ins] less than back to shoulder ending with a wrong side row.

### Divide for V-Neck

**1st row:** Work 43(45-47-53-56) sts, turn and complete this side first.

**2nd row:** P2, work in pattern to end.

**3rd row:** Work to last 3 sts, k2tog, k1.

Rep the last 2 rows until 31(33-34-39-42) sts remain, ending with the dec row.

**Next row:** P2, work in pattern to end.

**Next row:** Work to last 2 sts, k2.

**Next row:** P2, work in pattern to end.

**Next row:** Work to last 3 sts, k2tog, k1.

Rep the last 4 rows 1(2-2-2-3) times more. 29(30-31-36-38) sts remain. Work straight until front measures same as back to shoulder, ending at side edge. Cast off.

With right side facing rejoin yarn to neck edge of remaining 43(45-47-53-56) sts and work to end.

**2nd row:** Work to last 2 sts, p2.

**3rd row:** K1, sl 1, k1, pssso, work to end.

Rep the last 2 rows until 31(33-34-39-42) sts remain, ending with the dec row.

**Next row:** Work to last 2 sts, p2.

**Next row:** K2, work to end.

**Next row:** Work to last 2 sts, p2.

**Next row:** K1, sl 1, k1, pssso, work to end.

Rep the last 4 rows 1(2-2-2-3) times more. 29(30-31-36-38) sts remain. Work straight until front measures same as back to shoulder, ending at side edge. Cast off.

## Finishing and Neckband

Read pressing instructions on page 3. Join left shoulder seam.

**Round Neckband:** Using smaller needles and with right side facing work across sts at back neck decreasing 4 sts evenly, pick up and k14(15-15-16-16) sts down left front slope, knit across sts at centre front decreasing 4 sts evenly and pick up and k14(15-15-16-16) sts up right front slope. 62(66-70-74-78) sts.

Work 8(8-10-10-10) cms [ $3\frac{1}{4}$ (3-4-4-4) ins] in k2, p2 rib as given for Back starting with the 2nd row. Slip sts onto a length of yarn.

Join right shoulder seam and ends of neckband. Fold neckband in half to inside and slip stitch loosely in place, allowing for stretch and taking care to catch every stitch.

**V-Neckband:** Using smaller needles and with right side facing work across sts at back neck decreasing 4(2-4-2-4) sts evenly; pick up and k36(36-40-44-48) sts down left front slope, pick up horizontal thread between 2 centre front sts and knit into back of it, and pick up and k36(36-40-44-48) sts up right front slope. 97(101-109-121-129) sts.

**1st row:** P2, \*k2, p2; rep from \* to 2 sts before centre front st, p2tog, p1, p2tog tbl, p2, \*k2, p2; rep from \* to end.

**2nd row:** \*K2, p2; rep from \* to 3 sts before centre front st, k1, sl 1, k1, pssso, k1, k2tog, k1, \*p2, k2; rep from \* to end.

Keeping rib correct continue to dec 1 st either side of centre front st in this way on next 4(4-6-6-6) rows. Cast off in rib decreasing on this row also.

Join right shoulder seam and ends of neckband.

**Round and V Neck Sweaters:** Fold sleeves in half lengthways and mark centre of cast off edge. Sew sleeve to side edge placing centre at shoulder seam. Note: armhole should measure approximately 15(16-17-18-19) cms [ $6\frac{1}{2}$ (6 $\frac{3}{4}$ -7 $\frac{1}{4}$ -7 $\frac{1}{2}$ ) ins]. Join side and sleeve seams. Press seams.

## Hat

Using smaller needles cast on 86(94) sts and work 10(12) cms [ $4\frac{3}{4}$ (4) ins] in k2, p2 rib as given for Back, ending with a 1st row.

**Next row (increase):** Rib 2(4), \*inc in each of next 1(2) sts, rib 2(5); rep from \* to last 3(6) sts, inc in each of next 1(2) sts, rib to end. 114(120) sts.

Change to larger needles.

**Next row:** K6(9), slip marker, p6, \*k6, p6; rep from \* to last 6(9) sts, slip marker, knit to end.

### Commence Pattern

**1st row (right side):** P6(9), work 1st row of Cable Pattern across next 102 sts, p6(9).

**2nd row:** K6(9), work 2nd row of Cable Pattern, k6(9).

Keeping the 24 rows of cable pattern correct rep these 2 rows until hat measures 17(20) cms [ $6\frac{3}{4}$ (8) ins] ending with a wrong side row.

### Shape Crown

**1st row:** P4(5), [p2tog] 1(2) times, k4, k2tog, \*p4, p2tog, k4, k2tog; rep from \* to last 6(9) sts, p4(5), [p2tog] 1(2) times. 95(99) sts remain.

**2nd row:** K5(7), p5, \*k5, p5; rep from \* to last 5(7) sts, k5(7).

**3rd row:** P3, [p2tog] 1(2) times, k3, k2tog, \*p3, p2tog, k3, k2tog; rep from \* to last 5(7) sts, p3, [p2tog] 1(2) times. 76(78) sts remain.

**4th row:** K4(5), p4, \*k4, p4; rep from \* to last 4(5) sts, k4(5).

**5th row:** P2(1), [p2tog] 1(2) times, k2, k2tog, \*p2, p2tog, k2, k2tog; rep from \* to last 4(5) sts, p2(1), [p2tog] 1(2) times. 57 sts remain.

**6th row:** K3, \*p3, k3; rep from \* to end.

**7th row:** P1, p2tog, \*k1, k2tog, p1, p2tog; rep from \* to end. 38 sts remain.

**8th row:** K2, \*p2, k2; rep from \* to end.

**9th row:** P2tog, \*k2tog, p2tog; rep from \* to end. Break yarn, thread through remaining 19 sts, draw up firmly and fasten off.

## To Finish

Read pressing instructions on page 3. Join back seam reversing seam on ribbing. Turn back brim. Make a pom-pom and attach firmly to top of crown.

## Mitts

### Left Hand

Using smaller needles cast on 30(34) sts and work 5 cms [2 ins] in k2, p2 rib as given for Back, ending with a 1st row and at the same time increasing 3 sts evenly on last row. 33(37) sts.

Change to larger needles and commence pattern ★:

**1st row (wrong side):** K6(7), p6, k6(7), p15(17).

**2nd row:** K15(17), p6(7), C4B, k2, p6(7).

**3rd row:** As 1st row.

### Shape Thumb Gusset

**4th row (increase):** K14(16), M1, k1, M1, p6(7), k6, p6(7). 35(39) sts.

**5th row:** K6(7), p6, k6(7), p17(19).

**6th row (increase):** K14(16), M1, k3, M1, p6(7), k2, C4F, p6(7). 37(41) sts.

**7th row:** K6(7), p6, k6(7), p19(21).

**8th row (increase):** K14(16), M1, k5, M1, p6(7), k6, p6(7). 39(43) sts.

★★ These 8 rows form the cable panel and st at each side. Keeping the 8 rows of cable correct throughout continue to inc 2 sts in this way on every alt row 3(4) times more ending with the inc row. 45(51) sts.

### Divide for Thumb

*Note: Figures in italics are for use when working Right Hand.*

**1st row:** Work 31(35) 27(31) sts, turn.

**2nd row:** K13(15), turn and work on these sts for Thumb.

Working in st st throughout dec 1 st at each end of following alt row. 11(13) sts remain. Work 5(7) rows straight thus ending with a purl row.

**Next row:** K1, \*k2tog; rep from \* to end.

Break yarn, thread through remaining 6(7) sts, draw up firmly and fasten off.

With wrong side facing rejoin yarn at division for thumb and work to end. 32(36) sts. Work straight until mitt measures 14(18) cms [ $5\frac{1}{2}$ (7) ins] from beg ending with a wrong side row.

### Shape Top

**1st row:** K1, sl 1, k1, pssso, work 9(11) 12(14) sts, k2tog, k1, sl 1, k1, pssso, work to last 3 sts, k2tog, k1. 28(32) sts remain.

**2nd row:** P2, work 12(14) 9(11) sts, p3, work to last 2 sts, p2.

**3rd row:** K1, sl 1, k1, pssso, work 7(9) 10(12) sts, k2tog, k1, sl 1, k1, pssso, work to last 3 sts, k2tog, k1. 24(28) sts remain.

**4th row:** P2, work 10(12) 7(9) sts, p3, work to last 2 sts, p2.

**5th row:** K1, sl 1, k1, pssso, work 5(7) 8(10) sts, k2tog, k1, sl 1, k1, pssso, work to last 3 sts, k2tog, k1. 20(24) sts remain.

**6th row:** Work to end decreasing 2 sts across cable. 18(22) sts remain.

**7th row:** Work 9(11) sts, turn.

Fold work in half on the 2 needles with right sides together and using a smaller needle cast off the 2 sets of sts together as follows: \*knit tog 1 st from each needle; rep from \* once more (2 sts on right-hand needle), pass first st over 2nd to cast off. Continue in this way until all sts are cast off.

## Right Hand

Work as given for Left Hand to ★.

**1st row (wrong side):** P15(17), k6(7), p6, k6(7).

**2nd row:** P6(7), C4B, k2, p6(7), k15(17).

**3rd row:** As 1st row.

### Shape Thumb Gusset

**4th row (increase):** P6(7), k6, p6(7), M1, k1, M1, k14(16). 35(39) sts.

**5th row:** P17(19), k6(7), p6, k6(7).

**6th row (increase):** P6(7), k2, C4F, p6(7), M1, k3, M1, k14(16). 37(41) sts.

**7th row:** P19(21), k6(7), p6, k6(7).

**8th row (increase):** P6(7), k6, p6(7), M1, k5, M1, k14(16). 39(43) sts.

Complete as given for Left Hand from ★★ to end reversing shaping by *following figures in italics where applicable*.


## To Finish

Read pressing instructions on page 3. Join side and thumb seams.











# 12.

## Polo Neck Sweater

### Measurements

To fit chest sizes

60	65	70	75	80	cms
24	26	28	30	32	ins

Finished measurement

73	77	81	89	93	cms
29	31	32½	35½	37	ins

Length to shoulder

42	46	49	53	56	cms
16½	18	19¼	20¾	22	ins

Sleeve length

30	34	38	42	45	cms
11¾	13½	15	16½	17¾	ins

### Tension

20 sts and 26 rows = 10 cms [4 ins] square measured over double moss st using larger needles.

### Cable Panel A (Worked across 20

sts between markers)

1st row: [K4, p4] twice, k4.

2nd row: [P4, C4F] twice, p4.

3rd row: As 1st row.

4th row: [P4, k4] twice, p4.

5th row: As 1st row.

6th row: As 2nd row.

7th row: As 1st row.

8th row: P2, [T4B, T4F] twice, p2.

9th row: K2, p2, k4, p4, k2, p2.

10th row: P2, k2, p4, C4F, p4, k2, p2.

11th row: As 9th row.

12th row: P2, k2, p4, k4, p4, k2, p2.

Rep the last 4 rows twice more.

21st row: As 9th row.

22nd row: As 10th row.

23rd row: As 9th row.

24th row: P2, [T4F, T4B] twice, p2.

These 24 rows form Cable Panel A.

### Cable Panel B (Worked across 20

sts between markers)

1st row: K7, p6, k7.

2nd row: P7, C6B, p7.

3rd row: As 1st row.

4th row: P6, T4R, T4L, p6.

5th row: K6, p3, k2, p3, k6.

6th row: P5, T4R, p2, T4L, p5.

7th row: K5, p3, k4, p3, k5.

8th row: P4, T4R, p4, T4L, p4.

9th row: K4, p3, k6, p3, k4.

10th row: P3, T4R, p6, T4L, p3.

11th row: K3, p3, k8, p3, k3.

12th row: P2, T4R, p8, T4L, p2.

13th row: K2, p3, k10, p3, k2.

14th row: P2, k3, p10, k3, p2.

15th row: As 13th row.

16th row: P2, T4L, p8, T4R, p2.

17th row: K3, p3, k8, p3, k3.

18th row: P3, T4L, p6, T4R, p3.

19th row: K4, p3, k6, p3, k4.

20th row: P4, T4L, p4, T4R, p4.

21st row: K5, p3, k4, p3, k5.

22nd row: P5, T4L, p2, T4R, p5.

23rd row: K6, p3, k2, p3, k6.

24th row: P6, T4L, T4R, p6.

These 24 rows form Cable Panel B.

### Back

Using smaller needles cast on 55(59-61-65-69) sts.

1st row (right side): K1, \*p1, k1; rep from \* to end.

2nd row: P1, \*k1, p1; rep from \* to end.

Rep the last 2 rows until rib measures 5(5-5-6-6) cms [2(2-2-2½-2½) ins] ending with a wrong side row.

Next row (increase): Rib 2(4-3-2-4), \*inc in each of next 2 sts, work 1 st; rep from \* to last 2(4-4-3-5) sts, inc in next st, rib to end. 90(94-98-106-110) sts.

Change to larger needles and commence pattern:

1st row (wrong side): [K1, p1] 4(5-5-6-7) times, \*slip marker, work 1st row of Cable Panel A across next 20 sts, slip marker\*, p1, [k1, p1] 3(3-4-5-5) times, slip marker, work 1st row of Cable Panel B across next 20 sts, slip marker, p1, [k1, p1] 3(3-4-5-5) times, rep from \* to \*, [p1, k1] 4(5-5-6-7) times.

2nd row: [P1, k1] 4(5-5-6-7) times, work 2nd row of Cable Panel A, k1, [p1, k1] 3(3-4-5-5) times, work 2nd row of Cable Panel B, k1, [p1, k1] 3(3-4-5-5) times, work 2nd row of Cable Panel A, [k1, p1] 4(5-5-6-7) times.

3rd row: As 2nd row but working 3rd row of Cable Panel A and Cable Panel B.

4th row: As 1st row but working 4th row of Cable Panel A and Cable Panel B.

These 4 rows form the double moss st at each side and between each cable. Keeping the 24 rows of each panel correct throughout, rep the last 4 rows until back measures 42(46-49-53-56) cms [16½(18-19¼-20¾-22) ins], or required length to shoulders ending with a wrong side row.

### Shape Shoulders

Keeping pattern correct cast off 10(10-11-12-12) sts at beg of next 4 rows, then 10(11-10-11-12) sts at beg of following 2 rows. Slip remaining 30(32-34-36-38) sts onto a holder.

### Front

Work as given for Back until front is 11(13-13-15-15) rows shorter than back to start of shoulder shaping, thus ending with a right side row.

### Shape Neck

Next row: Work 36(38-39-43-44) sts, turn and complete this side first.

★ Keeping pattern correct dec 1 st at neck edge on next 5 rows, then on following 1(2-2-3-3) alt rows. 30(31-32-35-36) sts remain. Work 4 rows straight (work 1 row less here for 2nd side), thus ending at side edge.

### Shape Shoulder

Cast off 10(10-11-12-12) sts at beg of next and following alt row. Work 1 row. Cast off remaining 10(11-10-11-12) sts.

Slip next 18(18-20-20-22) sts at centre onto a holder. With wrong side facing rejoin yarn to neck edge of remaining 36(38-39-43-44) sts and work to end. Complete as given for first side from ★ to end working 1 row less where indicated.

### Sleeves

Using smaller needles cast on 33(33-35-37-39) sts and work 5(5-5-6-6) cms [2(2-2½-2½) ins] in k1, p1 rib as given for Back ending with a wrong side row.

Next row (increase): Rib 2(3-2-2-1), \*inc in each of next 1(2-2-2-2) sts, work 1 st; rep from \* to last 3(3-3-2-2) sts, inc in next st, rib to end. 48(52-56-60-64) sts.

Change to larger needles and commence pattern:

1st row (wrong side): [K1, p1] 7(8-9-10-11) times, slip marker, work 1st row of Cable Panel A across next 20 sts, slip marker, [p1, k1] 7(8-9-10-11) times.

2nd row: [P1, k1] 7(8-9-10-11) times, work 2nd row of Cable Panel A, [k1, p1] 7(8-9-10-11) times.

3rd row: As 2nd row but working 3rd row of Cable Panel A.

4th row: As 1st row but working 4th row of Cable Panel A.

Keeping the 24 rows of panel correct throughout, rep the last 4 rows once more, then 1st row again. Bringing extra sts into double moss st, inc 1 st at each end of next and every following 7th(8th-8th-8th-8th) row until there are 64(68-74-80-86) sts. Work straight until sleeve measures 30(34-38-42-45) cms [11¾(13½-15-16½-17¾) ins], or required length ending with a wrong side row. Cast off in pattern.

### Finishing and Polo Collar

Read pressing instructions on page 3. Join left shoulder seam.

Polo Collar: Using smaller needles and with right side facing work across sts at back neck as follows: k1(2-1-2-3), \*k2tog, k3(3-4-4-4); rep from \* to last 4(5-3-4-5) sts, k2tog, knit to end, pick up and k15(17-17-19-19) sts down left front slope, work across sts at front neck as follows: k2(2-3-3-2), \*k2tog, k1(1-1-1-2); rep from \* to last 4(4-5-5-4) sts, k2tog, knit to end, then pick up and k15(17-17-19-19) sts up right front slope. 67(73-77-83-87) sts.

Work 12 rows in k1, p1 rib as given for Back.

Next row (increase): K1, p1, \*work [k1, p1, k1] into next st, rib 5; rep from \* to last 5(5-3-3-7) sts, work [k1, p1, k1] into next st, rib to end. 89(97-103-111-115) sts.

Keeping rib correct work straight until collar measures 10(10-12-12-14) cms [4(4-4¾-4¾-5½) ins]. Cast off loosely in rib.

Join right shoulder seam and ends of collar, reversing seam on collar. Fold sleeves in half lengthways and mark centre of cast off edge. Sew sleeve to side edge placing centre at shoulder seam. Note: armholes should measure approximately 14(15-17-19-20) cms [5½(6-6¾-7½-8) ins]. Join side and sleeve seams. Press seams. Turn back collar.

# 13-16.

## Sweater, Hat, Beret and Scarf

### Measurements

#### Sweater

To fit chest sizes

50	55	60	65	cms
20	22	24	26	ins

Finished measurement

62	67	74	79	cms
25	27	29½	31½	ins

Length to shoulder

38	41	44	47	cms
15	16	17¼	18½	ins

Sleeve length

20	24	28	32	cms
8	9½	11	12½	ins



13-16





## Hat and Beret

Width round head

45	48	cms
18	19 1/4	cms

## Scarf

Length

112	132	cms
44	52	ins

## Tension

23 sts and 29 rows = 10 cms [4 ins] square measured over rib pattern using larger needles.

## Sweater

### Back

Using smaller needles cast on 45(49-55-59) sts.

**1st row:** K1, \*p1, k1; rep from \* to end.

**2nd row:** P1, \*k1, p1; rep from \* to end.

Rep the last 2 rows until rib measures 5(5-6-6) cms [2(2-2 1/2-2 1/2) ins] ending with a 1st row.

**Next row (increase):** Rib 5(6-8-9), \*inc in every st to last 4(5-7-8) sts, rib to end. 81(87-95-101) sts.

Change to larger needles and commence pattern:

**Note:** Slip all slip sts purlwise.

**1st row (right side):** P4(4-2-2), [yb, sl 1, yf, p2] 4(5-7-8) times, yb, sl 1, yf, p3, k14, p3, [yb, sl 1, yf, p2] twice, yb, sl 1, yf, p3, k14, p3, [yb, sl 1, yf, p2] 4(5-7-8) times, yb, sl 1, yf, p4(4-2-2).

**2nd and every alt row:** K4(4-2-2), [p1, k2] 4(5-7-8) times, p1, k3, p14, k3, [p1, k2] twice, p1, k3, p14, k3, [p1, k2] 4(5-7-8) times, p1, k4(4-2-2).

**3rd row:** P4(4-2-2), [yb, sl 1, yf, p2] 4(5-7-8) times, yb, sl 1, yf, p3, C14B, p3, [yb, sl 1, yf, p2] twice, yb, sl 1, yf, p3, C14F, p3, [yb, sl 1, yf, p2] 4(5-7-8) times, yb, sl 1, yf, p4(4-2-2).

**5th, 7th and 9th rows:** As 1st row.

**10th row:** As 2nd row.

These 10 rows form the rib pattern and cable panels. Continue in pattern until back measures 38(41-44-47) cms [15(16-17 1/4-18 1/2) ins] or required length to shoulder ending with a wrong side row.

### Shape Shoulders

Cast off 26(28-31-33) sts at beg of next 2 rows. Slip remaining 29(31-33-35) sts onto a holder.

### Front

Work as given for Back until front is 17(17-19-19) rows shorter than back to shoulder, thus ending with a right side row.

### Shape Neck

**Next row:** Work 31(33-38-40) sts, turn and complete this side first.

Keeping pattern correct dec 1 st at neck edge on next 3(3-5-5) rows, then on following 2 alt rows. 26(28-31-33) sts remain. Work 10 rows straight thus ending with a right side row. Cast off.

Slip next 19(21-19-21) sts at centre onto a holder. With wrong side facing rejoin yarn to neck edge of remaining 31(33-38-40) sts and work to end. Dec 1 st at neck edge of next 3(3-5-5) rows, then following 2 alt rows. 26(28-31-33) sts remain. Work 1 row. Cast off.

### Sleeves

Using smaller needles cast on 29(31-33-35) sts and work 5 cms [2 ins] in k1, p1 rib as given for Back ending with a 1st row.

**Next row (increase):** Rib 2, inc in every st to last 2 sts, rib 2. 54(58-62-66) sts.

Change to larger needles and commence pattern:

**1st row (right side):** P4(3-2-4), [yb, sl 1, yf, p2] 4(5-6-6) times, yb, sl 1, yf, p3, k14, p3, [yb, sl 1, yf, p2] 4(5-6-6) times, yb, sl 1, yf, p4(3-2-4).

**2nd and every alt row:** K4(3-2-4), [p1, k2] 4(5-6-6) times, p1, k3, p14, k3, [p1, k2] 4(5-6-6) times, p1, k4(3-2-4).

**3rd row:** P4(3-2-4), [yb, sl 1, yf, p2] 4(5-6-6) times, yb, sl 1, yf, p3, C14B, p3, [yb, sl 1, yf, p2] 4(5-6-6) times, yb, sl 1, yf, p4(3-2-4).

**5th, 7th and 9th rows:** As 1st row.

**10th row:** As 2nd row.

Keeping pattern correct and bringing extra sts into rib pattern, inc 1 st at each end of next and every following 3rd(5th-5th-7th) row until there are 70(74-80-84) sts. Work straight until sleeve measures 20(24-28-32) cms [8(9 1/2-11-12 1/2) ins] or required length ending with a wrong side row. Cast off.

## Finishing and Bands

Read pressing instructions on page 3. Join right shoulder seam.

**Neckband:** Using smaller needles and right side facing pick up and k7(7-9-9) sts down left front slope, work across sts at front neck as follows: k3, [k2tog] 7 times, k2(4-2-4), pick up and k13(13-15-15) sts up right front slope, and work across sts at back neck as follows: k4, [k2tog] 10(12-12-14) times, k5(3-5-3). 51(53-57-59) sts.

Work 8 rows in k1, p1 rib as given for Back. Cast off in rib.

**Button Band:** Using smaller needles and right side facing pick up and k29(31-37-39) sts evenly along left back shoulder including neckband.

Work 8 rows in k1, p1 rib as given for Back starting with the 2nd row. Cast off in rib.

**Buttonhole Band:** Pick up and knit sts as given for Button Band across left front shoulder and work 3 rows in k1, p1 rib as given for Back starting with the 2nd row.

**Buttonhole row:** Rib 2, [cast off next 2 sts, rib until there are 9(10-13-14) sts on right-hand needle after casting off] twice, cast off next 2 sts, rib to end.

Work 4 more rows in rib casting on 2 sts over each buttonhole on first of these rows. Cast off in rib.

Lay buttonhole band over button band and tack together at side edge. Fold sleeves in half lengthways and mark centre of cast off edge. Sew sleeve to side edge placing centre at shoulder seam or top of buttonhole band and working through double thickness of bands. Note: armhole should measure approximately 14(15-16-17) cms [5 1/2(6-6 1/2-6 3/4) ins]. Join side and sleeve seams. Press seams. Sew on buttons.

## Hat

Using smaller needles cast on 81(87) sts and work 12 cms [4 3/4 ins] in k1, p1 rib as given for Back of Sweater ending with a 2nd row.

**Next row (increase):** Rib 5(3), \*inc in next st, rib 6(8); rep from \* to last 6(3) sts, inc in next st, rib to end. 92(97) sts.

Change to larger needles and commence pattern:

**Note:** Slip all slip sts purlwise.

**1st row (right side):** P5, \*yb, sl 1, yf, p2] twice, yb, sl 1, yf, p8(9); rep from \* to last 12 sts, [yb, sl 1, yf, p2] twice, yb, sl 1, yf, p5.

**2nd row:** K5, \*p1, k2] twice, p1, k8(9); rep from \* to last 12 sts, [p1, k2] twice, p1, k5.

These 2 rows form the pattern. Continue in pattern until hat measures 18(20) cms [7(8) ins] ending with a wrong side row.

## Shape Top

**1st row (decrease):** P3, p2tog, \*work 7 sts, p2tog, p4(5), p2tog; rep from \* to last 12 sts, work 7 sts, p2tog, p3. 80(85) sts remain.

Work 5 rows straight.

**7th row (decrease):** P2, p2tog, \*work 7 sts, p2tog, p2(3), p2tog; rep from \* to last 11 sts, work 7 sts, p2tog, p2. 68(73) sts remain.

Work 3 rows straight.

### 1st size only

**11th row (decrease):** P1, p2tog, \*work 7 sts, [p2tog] twice; rep from \* to last 10 sts, work 7 sts, p2tog, p1. 56 sts remain.

Work 3 rows straight.

**15th row (decrease):** P2tog, \*yb, sl 1, yf, p2tog; rep from \* to end. 37 sts remain.

### 2nd size only

**11th row (decrease):** P1, p2tog, \*work 7 sts, p2tog, p1, p2tog; rep from \* to last 10 sts, work 7 sts, p2tog, p1. 61 sts remain.

Work 3 rows straight.

**15th row (decrease):** P2tog, \*work 7 sts, p3tog; rep from \* to last 9 sts, work 7 sts, p2tog. 49 sts remain.

Work 3 rows straight.

**19th row (decrease):** P1, \*yb, sl 1, yf, p2tog] twice, yb, sl 1, yf, p1; rep from \* to end. 37 sts remain.

### Both sizes

Work 3 rows straight.

**Next row (decrease):** K1, \*k2tog; rep from \* to end.

Break yarn, thread through remaining 19 sts, draw up firmly and fasten off.

## To Finish

Read pressing instructions on page 3. Join back seam reversing seam on ribbing. Make a pom-pom and attach to centre of crown. Press seams. Turn back brim.

## Beret

Using smaller needles cast on 81(87) sts and work 7 rows in k1, p1 rib as given for Back of Sweater.

**Next row (increase):** Rib 1(6), \*inc in each of next 1(2) sts, work 1 st; rep from \* to last 4(9) sts, inc in each of next 3(2) sts, rib to end. 122(137) sts.

Change to larger needles and commence pattern:

**Note:** Slip all slip sts purlwise.

**1st row (right side):** P5, \*yb, sl 1, yf, p2] twice, yb, sl 1, yf, p8; rep from \* to last 12 sts, [yb, sl 1, yf, p2] twice, yb, sl 1, yf, p5.

**2nd row:** K5, \*p1, k2] twice, p1, k8; rep from \* to last 12 sts, [p1, k2] twice, p1, k5.

These 2 rows form the pattern. Continue in pattern until beret measures 10 cms [4 ins] ending with a wrong side row.

### Shape Top

**1st row (decrease):** P3, p2tog, \*work 7 sts, p2tog, p4, p2tog; rep from \* to last 12 sts, work 7 sts, p2tog, p3. 106(119) sts remain.

Work 5 rows straight.

**7th row (decrease):** P2, p2tog, \*work 7 sts, p2tog, p2, p2tog; rep from \* to last 11 sts, work 7 sts, p2tog, p2. 90(101) sts remain.

Work 5 rows straight.

**13th row (decrease):** P1, p2tog, \*work 7 sts, [p2tog] twice; rep from \* to last 10 sts, work 7 sts, p2tog, p1. 74(83) sts remain.

Work 5 rows straight.

**19th row (decrease):** P2tog, \*yb, sl 1, yf, p2tog; rep from \* to end. 49(55) sts remain.

Work 5 rows straight.



**25th row (decrease):** K1, \*k2tog; rep from \* to end. 25(28) sts remain.

Work 3 rows straight.

**29th row (decrease):** K1(2), \*k2tog; rep from \* to end.

Break yarn, thread through remaining 13(15) sts, draw up firmly and fasten off.

## To Finish

Read pressing instructions on page 3. Join back seam. Make a short twisted cord and attach to centre of crown. Press seams.

## Scarf

Using larger needles cast on 43 sts and commence pattern:

**Note:** Slip all slip sts purlwise.

**1st row:** K4, p3, [yb, sl 1, yf, p2] twice, yb, sl 1, yf, p3, k14, p3, [yb, sl 1, yf, p2] twice, yb, sl 1, yf, p3, k4.

**2nd and every alt row:** K7, [p1, k2] twice, p1, k3, p14, k3, [p1, k2] twice, p1, k7.

**3rd row:** K4, p3, [yb, sl 1, yf, p2] twice, yb, sl 1, yf, p3, C14B, p3, [yb, sl 1, yf, p2] twice, yb, sl 1, yf, p3, k4.

**5th, 7th and 9th rows:** As 1st row.

**10th row:** As 2nd row.

These 10 rows form the pattern. Continue in pattern until scarf measures approximately 112(132) cms [44(52) ins] or required length ending with a 4th row of pattern. Cast off.

## To Finish

Read pressing instructions on page 3.

**Fringe:** Cut 6 lengths of yarn each 20 cms [8 ins] long, fold in half and draw loop through first st at one end of scarf, draw ends of strands through loop and tighten, thus forming one tassel. Rep from \* along each end at 2 cm [ $\frac{3}{4}$  inch] intervals. Trim ends of tassel.

17/18.

## Cardigan and Waistcoat

illustrated on back cover

## Measurements

To fit chest sizes

50	55	60	65	cms
20	22	24	26	ins

Finished measurement

63	67	72	79	cms
25	27	29	31 $\frac{1}{2}$	ins

Length to shoulder

34	38	41	45	cms
13 $\frac{1}{4}$	15	16	17 $\frac{3}{4}$	ins

Cardigan, sleeve length

21	25	29	33	cms
8 $\frac{1}{4}$	9 $\frac{3}{4}$	11 $\frac{1}{2}$	13	ins

## Tension

18 sts and 24 rows = 10 cms [4 ins] square measured over st st using larger needles.

## Cable Panel (Worked across 10 sts

between markers)

**1st row:** K3, p4, k3.

**2nd row:** P3, C4B, p3.

**3rd row:** K3, p4, k3.

**4th row:** P2, T3B, T3F, p2.

**5th row:** K2, [p2, k2] twice.

**6th row:** P1, T3B, p2, T3F, p1.

**7th row:** K1, p2, k4, p2, k1.

**8th row:** P1, T3F, p2, T3B, p1.

**9th row:** K2, [p2, k2] twice.

**10th row:** P2, T3F, T3B, p2.

**11th row:** K3, p4, k3.

**12th row:** P3, C4B, p3.

**13th row:** K3, p4, k3.

**14th row:** P3, k4, p3.

**15th row:** K3, p4, k3.

**16th row:** P3, C4B, p3.

**17th row:** K3, p4, k3.

**18th row:** P3, k4, p3.

These 18 rows form the Cable Panel.

## Cardigan Back

Using smaller needles cast on 45(49-55-59) sts.

**1st row (right side):** K1, \*p1, k1; rep from \* to end.

**2nd row:** P1, \*k1, p1; rep from \* to end.

Rep the last 2 rows until rib measures 4(4-5-5) cms [ $1\frac{1}{2}$ ( $1\frac{1}{2}$ -2-2) ins] ending with a wrong side row.

**Next row (increase):** Rib 4(6-3-3), \*inc in each of next 2(2-1-1) sts, work 1 st; rep from \* to last 5(7-4-4) sts, inc in next st, rib to end. 70(74-80-86) sts.

Change to larger needles and commence pattern:

**1st row (wrong side):** K6(8-7-10), \*slip marker, work 1st row of Cable Panel across next 10 sts, slip marker, p2, [k2, p2] 1(1-2-2) times, slip marker, work 1st row of Cable Panel across next 10 sts, slip marker\*, k6, rep from \* to \* once more, k6(8-7-10).

**2nd row:** P6(8-7-10), \*work 2nd row of Cable Panel, keeping yarn at front sl 2 purlwise, [p2, keeping yarn at front sl 2 purlwise] 1(1-2-2) times, work 2nd row of Cable Panel\*, p6, rep from \* to \* once more, p6(8-7-10).

These 2 rows form the reverse st st and rib pattern at either side and between cable panels. Keeping the 18 rows of each cable panel correct on sts between markers throughout, rep the last 2 rows until back measures 21(24-25-28) cms [ $8\frac{1}{4}$ ( $9\frac{1}{2}$ - $9\frac{3}{4}$ -11) ins] ending with a wrong side row.

## Shape Armholes

Keeping pattern correct cast off 2(2-2-3) sts at beg of next 2 rows. Dec 1 st at each end of next 3 rows, then following 1(2-2-2) alt rows. 58(60-66-70) sts remain. Work straight until armholes measure 13(14-16-17) cms [ $5\frac{1}{2}$ ( $5\frac{1}{2}$ - $6\frac{1}{4}$ - $6\frac{3}{4}$ ) ins] measured straight from start of armhole shaping and ending with a wrong side row.

## Shape Shoulders

Cast off 6(6-7-7) sts at beg of next 4 rows, then

7(7-7-8) sts at beg of following 2 rows. 20(22-24-26) sts remain.

## Back Neckband

Change to smaller needles and knit 1 row decreasing 1(1-3-3) sts evenly. 19(21-21-23) sts remain. Work 7 rows in k1, p1 rib as given at beg starting with the 2nd row. Cast off in rib.

## Left Front

Using smaller needles cast on 20(22-26-28) sts.

**1st row:** \*K1, p1; rep from \* to last 2 sts, k2.

**2nd row:** P2, \*k1, p1; rep from \* to end.

Rep the last 2 rows until rib measures 4(4-5-5) cms [ $1\frac{1}{2}$ ( $1\frac{1}{2}$ -2-2) ins] ending with a wrong side row.

**Next row (increase):** Work 1 st, \*inc in each of next 2(2-1-1) sts, work 1 st; rep from \* to last 4(3-3-3) sts, inc in each of next 3(1-1-1) sts, rib to end. 33(35-38-41) sts.

Change to larger needles and commence pattern:

**1st row (wrong side):** K1, \*work 1st row of Cable Panel across next 10 sts, slip marker\*, p2, [k2, p2] 1(1-2-2) times, slip marker, rep from \* to \* once more, k6(8-7-10).

**2nd row:** P6(8-7-10), \*work 2nd row of Cable Panel\*, keeping yarn at front sl 2 purlwise, [p2, keeping yarn at front sl 2 purlwise] 1(1-2-2) times, rep from \* to \* once more, p1.

★ Keeping the 18 rows of each cable panel correct rep the last 2 rows until front is 6 rows shorter than back to start of armhole shaping, thus ending with a wrong side row. Tie a marker at front edge of last row ★.

## Shape Front Neck

**1st row:** Work in pattern to last 12 sts, p2tog (neck dec), work in pattern to end.

**2nd row:** Work 10 sts in pattern, k1, work to end.

**3rd row:** Work to last 11 sts, p1, work to end.

**4th row:** As 2nd row.

**5th row:** As 1st row. 31(33-36-39) sts remain.

**6th row:** As 2nd row.

## Shape Armhole

**7th row:** Cast off 2(2-2-3) sts, work to last 11 sts, p1, work to end.

**8th row:** As 2nd row.

★★ Dec 1 st at neck edge as before on next and following 4th row, at the same time dec 1 st at armhole edge on next 3 rows, then following 1(2-2-2) alt rows. 23(24-27-29) sts remain. Work 3(1-1-1) rows straight. Keeping armhole edge straight dec 1 st at neck edge as before on next and every following 6th(6th-4th-4th) row until 20(21-22-23) sts remain. (Note: owing to the difference in stitch tension between cable panel and rib pattern, front shoulder has more sts than back shoulder).

Work straight until front measures same as back to shoulder ending at armhole edge.

## Shape Shoulder

Cast off 7(7-7-8) sts at beg of next and following alt row. Work 1 row. Cast off remaining 6(7-8-7) sts.

## Right Front

Using smaller needles cast on 20(22-26-28) sts.

**1st row:** K2, \*p1, k1; rep from \* to end.

**2nd row:** \*P1, k1; rep from \* to last 2 sts, p2.



Rep the last 2 rows until rib measures 4(4-5-5) cms [ $1\frac{1}{2}$ ( $1\frac{1}{2}$ -2-2) ins] ending with a wrong side row.

**Next row** (increase): Work 1 st, \*inc in each of next 2(2-1-1) sts, work 1 st; rep from \* to last 4(3-3-3) sts, inc in each of next 3(1-1-1) sts, rib to end. 33(35-38-41) sts.

Change to larger needles and commence pattern:

**1st row** (wrong side): K6(8-7-10), \*slip marker, work 1st row of Cable Panel across next 10 sts\*, slip marker, p2, [k2, p2] 1(1-2-2) times, rep from \* to \* once more, k1.

**2nd row**: P1, \*work 2nd row of Cable Panel\*, keeping yarn at front sl 2 purlwise, [p2, keeping yarn at front sl 2 purlwise] 1(1-2-2) times, rep from \* to \* once more, p6(8-7-10).

Work as given for Left Front from ★ to ★.

#### Shape Front Neck

**1st row**: Work 10 sts, p2tog (neck dec), work in pattern to end.

**2nd row**: Work to last 11 sts, k1, work to end.

**3rd row**: Work 10 sts, p1, work to end.

**4th row**: As 2nd row.

**5th row**: As 1st row.

**6th row**: As 2nd row.

**7th row**: As 3rd row. 31(33-36-39) sts remain.

#### Shape Armhole

**8th row**: Cast off 2(2-2-3) sts, work to last 11 sts, k1, work to end.

Complete as given for Left Front from ★★ to end.

## Sleeves

Using smaller needles cast on 29(31-33-35) sts and work 4(4-5-5) cms [ $1\frac{1}{2}$ ( $1\frac{1}{2}$ -2-2) ins] in k1, p1 rib as given for Back ending with a wrong side row.

**Next row** (increase): Rib 1(1-2-2), \*inc in each of next 2 sts, work 1 st; rep from \* to last 4(3-4-3) sts, inc in each of next 3(1-1-1) sts, rib to end. 48(50-52-56) sts.

Change to larger needles and commence pattern:

**1st row** (wrong side): K1(2-3-1), p2, [k2, p2] 4(4-4-5) times, slip marker, work 1st row of Cable Panel across next 10 sts, slip marker, p2, [k2, p2] 4(4-4-5) times, k1(2-3-1).

**2nd row**: P1(2-3-1), \*keeping yarn at front sl 2 purlwise, [p2, keeping yarn at front sl 2 purlwise] 4(4-4-5) times\*, work 2nd row of Cable Panel, rep from \* to \* once more, p1(2-3-1).

Keeping the 18 rows of cable panel correct throughout work 5 more rows. Bringing extra sts into reverse st st inc 1 st at each end of next and every following 8th(8th-10th-12th) row until there are 56(60-62-66) sts. Work straight until sleeve measures 21(25-29-33) cms [ $8\frac{1}{4}$ ( $9\frac{3}{4}$ - $11\frac{1}{2}$ -13) ins] or required length ending with a wrong side row.

#### Shape Top

Keeping pattern correct cast off 2(2-2-3) sts at beg of next 2 rows. Dec 1 st at each end of next 5 rows, then following 2(4-5-6) alt rows. 38 sts remain. Dec 1 st at each end of next 5 rows, then cast off 6 sts at beg of following 2 rows. Cast off remaining 16 sts.

## Finishing and Bands

Read pressing instructions on page 3.

**Left Front Band**: Using smaller needles and with right side facing pick up and k38(40-44-46) sts down left front slope to marker, then 39(45-47-53) sts along straight edge to cast on edge. 77(85-91-99) sts.

**Girl's Cardigan only**: Work 7 rows in k1, p1 rib as given for Back starting with the 2nd row. Cast off in rib.

**Boy's Cardigan only**: Work 3 rows in k1, p1 rib as given for Back starting with the 2nd row.

**Next row** (buttonholes): Rib 41(43-45-49), \*cast off next 2 sts, rib until there are 8(10-8-9) sts on right-hand needle after casting off; rep from \* 2(2-3-3) times more, cast off next 2 sts, rib to end.

Work 3 more rows in rib casting on 2 sts over

each buttonhole on first of these rows. Cast off in rib.

**Boy's and Girl's Cardigan, Right Front Band**: Using smaller needles and with right side facing pick up and k39(45-47-53) sts up right front edge to marker, then 38(40-44-46) sts up front slope to shoulder. 77(85-91-99) sts.

**Boy's Cardigan only**: Work 7 rows in k1, p1 rib as given for Back starting with the 2nd row. Cast off in rib.

**Girl's Cardigan only**: Work 3 rows in k1, p1 rib as given for Back starting with the 2nd row.

**Next row** (buttonholes): Rib 4, \*cast off next 2 sts, rib until there are 8(10-8-9) sts on right-hand needle after casting off; rep from \* 2(2-3-3) times more, cast off next 2 sts, rib to end.

Work 3 more rows in rib casting on 2 sts over each buttonhole on first of these rows. Cast off in rib.

**Girl's and Boy's Cardigan**: Join shoulder seams and ends of bands. Join side and sleeve seams. Insert sleeves. Press seams. Sew on buttons.

## Waistcoat

**Back, Left Front and Right Front**: Work as given for Cardigan.

## Finishing and Bands

Read pressing instructions on page 3.

**Left and Right Front Bands**: Work as given for Cardigan.

Join shoulder seams and ends of bands.

**Armbands**: Using smaller needles and with right side facing pick up and k59(63-71-77) sts evenly around armhole edge. Work 7 rows in k1, p1 rib as given for Back starting with the 2nd row. Cast off in rib.

Join side seams and ends of armbands. Press seams. Sew on buttons.



